

00000 00000 00000 000000 0 [000000-0000 1/2 316 00000-00000000-00000000-000000-00000000-000000](#)  
000000

0000000000.

00000	<b>10</b> 00000 00 00000000 000000
00000000	<b>30/316</b> 000000 00000000 00000000
000000 00.	<b>G105</b> 00000/0000000 000 <b>G105R</b> 00000 000
00000000 000	<b>1/2</b> 00000000 00000
0000000	0000 0000 0000000000.

[0000000 0000 1/2 316 000000 000000000 000000000 00000000-000000000 000000 0000.](#)

0000000 000000 00000



0000000 000000 00000



□□□□ □□ □□□□ □□□□□□ □□ □□ □□□□ □□ □□□□




Figure 1: A metal part made of 316 stainless steel. The part has a curved top surface and a flat bottom surface. The top surface features two circular holes with hexagonal inserts. The bottom surface has a central circular hole and two rectangular slots on either side. The part is made of a light-colored metal, likely stainless steel.

The part is made of 1/2 316 stainless steel. The part has a curved top surface and a flat bottom surface. The top surface features two circular holes with hexagonal inserts. The bottom surface has a central circular hole and two rectangular slots on either side. The part is made of a light-colored metal, likely stainless steel.



□□□□□ □□□□ 1/2 316 □□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□□ □□ □□□□□□ □□ □□□□□





Handrail and glass balustrade system.