



2-□□□ □□□□ □□□□□ □□□□ □□□□□
□□□□ / □□□ 1.32 :□□□□□□ □□□□□□
-Hight: 168mm
-Base □□□□□ □□□□: φ100mm



□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□



□□□□ □□□ □□□□ □□□□□□



□□□□ □□□□□□ □□□□□□

Results Summary

(For details of individual tests, refer to the tables on the following pages.)

ID	Item/Heat No.	Dimensions/Type/Details	Finish	Overall Assessment
14117/01	SSBM316	180mm High, 50mm Square, Base Plate 316 Stainless steel	316L	COMPLIES

Remarks

After completion of the testing, the spigot was found to be in sound condition with no breakage, tearing or signs of fracture and no looseness of the fixings.



Colin Lorrimar
Metallurgical Testing Manager



Accreditation No. 
Accredited for compliance
with ISO/IEC 17025

Spigot & Base Plate

- 12 spigots were tested. The spigots were found to be in sound condition with no breakage, tearing or signs of fracture and no looseness of the fixings.

- (5-3) spigots were found to be in sound condition (15-10) spigots were found to be in sound condition.



2014



□□□□ □□□□ & □□□□





深圳市朗驰商贸有限公司
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司
LAUNCH INTERNATIONAL LIMITED.

董 萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

🌐 www.launch-china.com

www.chinabalustrade.com