







أنابيب الفولاذ المقاوم للصدأ فتحة أنابيب للزجاج درابزين

316 304 00000 0000000 0000000 :000000L

النهاية: مرآة مصقولة أو صقيل

أنبوب فتحة مستديرة 38mm قطر ، 42.4mm ، 50.8mm ، 63.5mm

مربع 40×40 ، 50×50 مم الخ المواصفات. فتحة أنبوب المتاحة


	DIAMETER (MM)	SLOT WIDTH (MM)	SLOT DEPTH (MM)		DIAMETER (MM)	SLOT WIDTH (MM)	SLOT DEPTH (MM)
 ROUND SINGLE SLOT	38	15	15	 ROUND 90 DEGREE SLOT	50.8	15	15
	42.4	15	15				
	42.4	24	24	 SQUARE SINGLE SLOT	30x30	15	15
	45	20	20		38x38	15	15
	50.8	15	15		40x40	15	15
	50.8	20	20		40x40	20	20
	50.8	15	20		40x40	24	24
	60.3	20	20		50x50	15	15
	60.3	25	25		50x50	20	20
	63.5	15	15		50x50	24	24
63.5	20	20	 SQUARE DOUBLE SLOT	40x40	15	15	
63.5	25	25		50x50	15	15	
63.5	30	30					
76	15	15					
76	20	20					
 ROUND DOUBLE SLOT	76	25	25	 SQUARE 90 DEGREE SLOT	50x50	15	15
	76	30	30				
	50.8	15	15				
	50.8	25*16	16*12				
	63	20	20				
	63	25	25				

















شكرا لزيارتك، أي مهتم ، يرجى الاتصال بي بحرية:

. البريد الإلكتروني: sales02@launch-china.cn .

. + 86-18707054903 WhatsApp / WeChat / سكايب: إطلاق 02 . موبايل