

## Espita de vidrio de acero inoxidable 2205 dúplex ajustable cuadrada

Artículo No. SBM

Material dúplex 2205

Acabado espejo, cepillado, con recubrimiento en polvo (colores negro, blanco o RAL según sea necesario)

Altura 168 mm


Con placa niveladora ajustable, cubierta de base abovedada

Placa base con orificios ovalados, más fácil de montar con pernos

Dimensiones para **Espita de vidrio de acero inoxidable 2205 dúplex ajustable cuadrada**



### DRAWING FOR SBM




Instalación para **Espita de vidrio de acero inoxidable 2205 dúplex ajustable cuadrada**



## fixing method: base plate spigots

Mark out the centre line of proposed glass fence with a chalk line. Determine clamp location based on a sheet size (recommendation on pages 1 & 2). Use base plate as a template to mark out the hole positions and drill holes to suit.


**Note:** Do not exceed 100mm gaps between glass panels. Optimum gap is 40mm to 60mm



Now the base plated spigots can be fitted to the floor and plumbed via shims (not supplied) under the base plates. Be sure to tighten firmly as the smallest of movement at the base plate will result in noticeable movement at the bottom of the glass fence.


**Tip:** By setting the two outer spigots of your total span, a string line can be run in the 'throat' of the spigots, giving correct height for all spigots in between

**Note:** Do not exceed 100mm gap from the fixing surface to the bottom of the glass



When all spigots are installed, slip domical cover the top of the spigot to hide fixings. It will be necessary to turn the adjustment screws on the spigot face all the way in to allow cover to pass over


**Note:** Same installation method applies to round base plate spigot



The glass is then installed to the spigots. Place plastic packers between glass & spigot, at no stage should glass touch the metal

### How adjustability works:

1. Place glass in spigot
2. Fix/ tension glass both sides with allen key





**Acabado negro mate Espita de vidrio de acero inoxidable 2205 dúplex ajustable cuadrada**

