

Pyöreä 50 mm: n pulverimaalaus alumiinipylväs parvekelasi-kaiteet, seimi-kehyksetön lasikatto.

Alumiinipostin ominaisuudet -

- Pyöreä tyyppi 50mm halkaisija, 3 mm paksuus
- Alumiinipylväät kaikki mukana - päätykansi, alumiiniruuvi hitsattu alareunaan lasin, muovikanavan, pohjalevyn, pohjalevyn säilyttämiseksi
- Materiaali alumiini 6063 T5
- Pintakäsittely tai anodisointi
- Korkeus voi olla pyynnöstä normaalisti 1100mm - 1800mm
- Alumiinipylväs voidaan myös porata maahan
- MOQ 10 kpl

Kuvat alumiinipostista -

KEBIL 科比奥®





KEBIL 科比奥®





Material	Finish	Glass thickness	Dimension	Types
<ul style="list-style-type: none"> aluminum 6063 T5 	<ul style="list-style-type: none"> Powder coating Anodizing 	<ul style="list-style-type: none"> 10-12mm 	<ul style="list-style-type: none"> Dia 50mm round 3 mm thick 1265mm high or as per requirement 	<ul style="list-style-type: none"> 1 way 2 way 180 degree 2 way 90 degree 2 way 135 degree



Material	Finish	Glass thickness	Dimension	Types
<ul style="list-style-type: none"> aluminum 6063 T5 	<ul style="list-style-type: none"> Powder coating Anodizing 	<ul style="list-style-type: none"> 10-12mm 	<ul style="list-style-type: none"> 50X50mm square 3 mm thick 1265mm high or as per requirement 	<ul style="list-style-type: none"> 1 way 2 way 180 degree 2 way 90 degree 2 way 135 degree



Valmistetaan valokuvia alumiinista

Projektikuvat alumiinista

