

Description

- --Dimension: 50x50mm, 1265mm high or as per your requirements.
- --Aluminum post wall thickness: 3mm
- --For glass thickness: 8-12mm
- --2 types aluminum post
 - 1. Fixing into concrete (1800mm high or as per your requirement)
 - 2. With base plates (1265mm high or as per your requirement)
- --Application: pool fence, balcony frameless railing, deck glass railing, garden fencing, aluminum railing system, aluminum balustrade
- --For both commerical and modern house home design
- --For both wholesale and retail (We are factory)
- --Sample is always available
- --Have passed strength test

4 types aluminum post












Side mounting bracket




Side mounting bracket

Finish



Project






Half way post project



Balcony and deck aluminum railing



Factory & Certifaction

























Packaging & Delivery

- --one pc into one plastic bag, then into one box.
- --3-5 days delivery by express. 10-15 days shipping by sea



packing	plastic bag+box+carton
production lead time	30-45 days ; also depending on your qty.
Shippment	TNT TNT
	UPS POCZTEX
	FECEX 中国邮政 Express CHINA POST
payment	HSBC 紅 遭 WESTERN UNION FAST, RELIABLE, WORLDWIDE MONEY TRANSFER

Customers



- 3. Specila designs by customer can be made
- 4.competitive price with good discount
- 5. Superb quality control, production inspected one by one
- 6. Timely delivery, usually within a month
- 7.Good service before , during and after sales
- 8.OEM,ODM available

Thank you for visiting!

Need a quote or any questions, please leave a message, will get back to you ASAP!

Or contact me as below info.



董 萍 Doris Dong

Senior Sales Representative

4 (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No. 1092 Nanshan Road, Nanshan District, Shenzhen, China postal code 518054

- **1** (86-755) 8603 7559
- **=** (86-755) 8637 2611
- www.launch-china.com www.chinabalustrade.com

For more beautful aluminum railing pictures, go here