

CRL Brushed Stainless Glass Rail Standoff Base and Cap - 1-3/4" Projection


1. CRL Brushed Stainless Glass Rail Standoff specifications :

- High Grade Alloy 316 Stainless Steel Standard
- Finish: Brushed (Mirror polished also available)
- Compact Design with Base, Cap, and Mounting Stud
- For Use with 1/2" or 3/4" (12 or 19 mm) glass
- For Mounting to Steel, Concrete, or Wood Substrate


These heavy-duty CRL Glass Rail Standoff Base and Caps work with hand or guard railings. The standoff fitting is 2" (51 mm) in diameter with a 1-3/4" (44.5 mm) base. It comes with a 3/8"-16 x 2" Allen stud for mounting to steel, along with necessary rubber washers and grommet. Fabricated with Alloy 316 grade stainless steel in brushed or polished finishes.

2. Design measurements drawing :

C.R. LAURENCE design drawing :



We actually production drawing, as customer request, which fitting for 12mm glass :



3. The Glass Standoff photos We completed :







Back section Screw in separately packaging :



Each Glass Standoff wrapped with soft bag packaing :



4. For CRL 316 Brushed Stainless Steel Standard 2" Glass Rail Standoff Fitting with Mounting Plate , please refer to :

Click the photo or link know details:

<http://www.chinabalustrade.com/products/frameless-glass-balustrade-stainless-steel-standoff-bracket-accessories.html>



SF-50T

Please contact us freely if any ineterest, we will reply you ASAP in 24 hours .

Email: sales02@launch-china.cn . Skype: [launch-02](#) .