

Friction type glass clamp is widely used in frameless glass balustrade system for swimming pool fence and balcony design.

Duplex2205 spigot is for the swimming pool fencing near the seaside.

There is no holes required in the glass panel and it is flexible for 10-13.52mm glass to suit your requirement.

In addition,it is maintenance free for you and easily installed.

product name	glass pool fence spigot
type1	base plate spigot
type2	core drill spigot
material	SS316 grade/duplex2205
finish	brushed and mirror
glass thickness	10-13.52mm
application	balcony and pool fence
techonology	casting
net weight	about 2kg
spigot height	168-286mm
related fitting	cover,expansion bolt,screw,silicon rubber
other pool fencing hardware	glass hinge and latch

product show

[china stainless steel base plate glass spigot for pool fencing](#)
shiny finish





base plate spigot friction type SBM

satin finish



project pic



pool fence with square spigot

other types of glass spigot

1. round base plate glass spigot

[stainless steel duplex2205 glass spigot for self pool fence china manufacturer, china duplex2205 round base plate glass spigot 12mm](#)



mirror finish duplex2205 glass spigot

[china 12mm frameless glass balustrade spigot supplier, stainless steel 12mm glass spigot for swimming pool fence](#)



frameless glass balustrade

2.core drill type

[china duplex 2205 glass spigot for swimming pool fencing,duplex square core drill glass spigot for 12mm glass railing](#)

RCM round core drill spigot satin



packing pic
1 PE foam,1 inner box
12 boxes/carton



glass hinge and latch also available
usually 2 spigots, 2 hinges and 1 latch for 1 glass panel and 1 door



[china self closing stainless steel glass to glass hinge for swimming pool fence, frameless glass hinges for 10-12mm glass door](#)



glass hinge

[SS316 magnetic glass door latch for pool fence china, china glass hinge and latch for children security glass fencing](#)



glass door latch