Exterior 316 polished stainless steel stair cable railings for house decoration beautiful & quality designs .

Why choose us?

Shenzhen Launch is verified by SGS .

Alibaba.com Gold Plus Supplier

Main Product Lines Verification Report

Presented to

Shenzhen Launch Co., Ltd.

深圳市朗驰商贸有限公司

Company Address	B5003, Building 3, Yilida Building, No. 1092 Nanshan Avenue, Dengliang Community, Nanshan Street, Nanshan District, Shenzhen City, Guangdong Province, China
Consigner of Assessment:	Alibaba
Gold Supplier Member ID:	launch168
Gold Supplier Company Name:	Shenzhen Launch Co., Ltd.
Contact Person:	Mr. Binfeng Gao
Phone Number:	0086-13802569770
Fax Number:	0086-755-86372611
Email:	gbf999@china.com
Website Address (URL):	http://launch-china.en.alibaba.com

Service Provided by SGS Report No.: 19536352 P+T







Alibaba.com Gold Plus Supplier Main Product Lines Verification


Report No.: 19536352_P+T


Cutting Machine	XN		4 3			Acceptable
Laser Cutting						
Machine	MPS-3015D		1	2		Acceptable
4.5M CNC				_		
Processing Center	PRATIC		1	3		Acceptable
CNC Processing Meter	JNC		8	3		Acceptable
Shearing Machine	6X2500		2	3		Acceptable
Bending Machine	AG-1030II		4	3		Acceptable
Punching Machine	N/A		36	6		Acceptable
Coating Line	N/A		1	1.5		Acceptable
Lathing Machine	N/A		1	6		Acceptable
Grinding Machine	LITAO		4	6		Acceptable
Milling Machine	TONG ZHE	VG	2	6		Acceptable
Welding Machine	N/A		5	5		Acceptable
Tube Processing Machine	N/A		2	5		Acceptable
Cutting Mach	nine	Lase	er Cutting M	lachine	4.5M CNC Pro	cessing Center
		and the same of th				
CNC Processing Meter		Shearing Machine		Bending Machine		
			Paris 6/2500			A total
Punching Machine		Coating Line		Lathing Machine		

Report No:	19536352_P+T	Report Date:	09/Oct./2019	Assessed By	Wlof Wang
CONFIDENTIA	L	All Rights Rese	rved		Page No: 6 of 10


Item	stainless steel stair cable railings for house
Application	staircase , balcony , deck etc.
Material	316SS
Finish	brushed , polished
Post	50.8mm round
mounting type	Top mount ,surface mount
cable size	4mm diameter
top handrail	50.8mm diameter
MOQ	10-20 meters
Payment	TT; PAYPAL , CREDIT CARD







stainless steel stair cable railing posts -





Cable tensioner T803



Top handrail tube

