

درجة الفولاذ المقاوم للصدأ الحمام المشبك المفصلي باب دش زجاجي هيدروليكي 180

نوع	مفصلات الأبواب والنوافذ
مكان المنشأ	(قوانغدونغ ، الصين (البر الرئيسي
اسم العلامة التجارية	قبيل
رقم الموديل	G-W90SS
اسم المنتج	درجة مفصلي دش زجاجي للحائط 90
مواد	؛ الألومنيوم SS304 ، SS316
إنهاء	PSS SSS CP BN
بحجم	ملم 90 * 90
سمك الزجاج	ملم زجاج مقوى 8-12
تحمل	كلغ / زوج 45
فوكتيون	الزجاج على الحائط ، الزجاج على الزجاج
خاصية	سهولة التركيب ودائمة وأمنة
تطبيق	غرفة الاستحمام ، مكتب ، فندق ، منزل

الدرجة العلمية & 90 الدرجة العلمية زجاج دش مفصل في استانلس صلب مواد 180:




مفصلة دش زجاجية 90 درجة من الفولاذ المقاوم للصدأ ومواد الألومنيوم:



اطهر التفاصيل:




التعبئة:





تعليمات التحميل:

HINGE PARTS



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG THE DESIGNATED SLOT OF THE ACRYLIC DOOR



NOTE: REFER TO THE PICTURE BELOW AFTER THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED WILL ALREADY BE SET, NO NEED TO ADJUST

MAIN BODY CONFIGURATION



TOP HALF CONFIGURATION



STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF OF THE HINGE, ALIGNING WITH THE MAIN BODY



MAKE SURE THE SCREW HEADS FACE INSIDE THE ROOM WHEN ATTACHING THE DOOR.

STEP 3 - INSERT THE BOLTS AND TIGHTEN WITH A 4mm HEX KEY



صور المشروع:







:يرجى الاتصال بنا على النحو التالي

حواء

sales03@launch-china.cn

HP / WhatsApp / WeChat: +8613686807796