

## الألومنيوم الدرايزين الدرايزين المشاركة، الألومنيوم الشخصي للزجاج درايزين

### وصف المنتج

المنتج مآنا	الألومنيوم حديدي درايزين آخر
مواد	T5 الألومنيوم 6063
إنهاء	(مسحوق الطلاء (أسود، أبيض، رمادي أو لون العملاء
أقصى سماكة الزجاج	12MM
سكور البعد	سميك 50x50mm,3MM
الجولة Dimension	سميكة 50 قطر mm,3mm
ارتفاع ستاندراد	أو العملاء ' المرتفعات 1265mm
التركيب	تساعد السطح أو الحفر الأساسية تساعد
تقرير اختبار القوة	نعم فعلا
جاهز للتركيب	نعم فعلا
لور الفجوة F الزجاج إلى	50MM
معشوفة G ا ف ب إلى C النهاية distance	10MM
تم البيع ك عدة	طول ملحومة إدراج MM بيس بلاست & أمب؛ غطاء، أعلى سقف نهاية، 50 الألومنيوم في الجزء السفلي، مقعد من البلاستيك للزجاج للجلوس على، قناة بلاستيكية
أنواع	1) نصف مشاركة 2) طريقة واحدة نهاية آخر 3) 2 طريقة 180 درجة 4) 2 طريقة 90 درجة 5) 2 طريقة 135 درجة
Appliaction	حمام سباحة سياج، شرفة الزجاج حديدي، الألومنيوم سطح حديدي، سلم درايزين القضية
عينة	متاح للتحقق الجودة قبل النظام
تفتيش المصنع	متاح

□□□□□□□□□□ H

□□□□□□□□□□ □□□□ □□□□□□

□□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□ (1



알루미늄 외관 부품 (2)



鋁合金 擠出型 各種規格 鋁合金 (3)







□□□□□□□□ □□□□□□ □□□□□□□□ **Fittigs**


---

-

□□□□



□□□□ □□□□



□□□ □□□□ □□□



## Report

### Introduction

MTS Metallurgical Testing Services was engaged at the client's request to witness the installation of a sample pool fence post and to subsequently conduct load tests on the post to the requirements of the Australian Standard AS 1926.1 - 2012.

Standard/Specification AS 1926.1 - 2012, Section 3.2 and Appendix B

### Results Summary

(For details of individual tests, refer to the tables on the following pages.)

ID	Item/Heat No.	Dimensions/Type/Details	Finish	Overall Assessment
14110/01	ASB1265	1265mm High, 50mm Square, Aluminium, Base Plate	6063-T5	COMPLIES

### Remarks

After completion of the testing, the post was found to be in sound condition with no breakage, tearing or signs of fracture and no looseness of the fixings.

Colin Lorrimer  
Metallurgical Testing Manager



Accreditation No: 15624  
Accredited for compliance  
with ISO/IEC 17025





.□□□□□□□□ □□□□ □□ □□□□□□□□ □□□□ □□□□ □□□□ □□□□



朗驰国际有限公司 亿利达大厦B区3栋5003室



0000

!0000 000 0000 00 000000 0000 0000 .000000 0000 000000 00 00000000000 00  
0000000 000000 0000 000000 0000 0000000 00000 0000000 00000000 0000  
000000: launch\_04  
973219879 :000000  
13530506265-86 + :000000 00 / 0000

**KEBIL** 科比奥®

深圳市朗驰商贸有限公司  
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司  
LAUNCH INTERNATIONAL LIMITED.

**董萍** Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003  
Room 5003, Building 3, Yilida Building, No.1092  
Nanshan Road, Nanshan District, Shenzhen, China  
postal code 518054

- ☎ (86-755) 8603 7559
- ☎ (86-755) 8637 2611
- ✉ sales04@launch-china.cn
- 🌐 www.launch-china.com
- 🌐 www.chinabalustrade.com