تقوم Shenzhen Tunch بتصنيع القاعدة المصنوعة من الزجاج المصقول المصقول جودة

الميزات-

(تصميم مدمج مع قاعدة، غطاء، وتركيب البراغي (أو مسامير الخشب / مسامير □□□□□

للاستخدام مع 1/2 "و 3/4" (12 و 19 مم) سمكة الزجاج أو 9/16 "و 27/32" (13.52 و 21.52 مم) مغلفة الزجاج المقسى لأنظمة حديد الزجاج فرملس.
سبيكة عالية الجودة 316 الفولاذ المقاوم للصدأ□□□□□□ إلى الفولاذ أو الخرسانة أو الركيزة الخشبية

هذه النقيلة**قاعدة مواجهة السكك الحديدية والقبعات** العمل مع درابزين اليد أو الحرس.



Part No.	Material	Finish	Body	Bolt size
▪ SF-30 ▪ SF-40 ▪ SF-50 ▪ SF-50A	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ 30x10; 30x25mm ▪ 40x10; 40x30mm ▪ 50x12; 50x30mm ▪ 50x12; 50x50mm ▪ silicon rubber gasket included	▪ M10x120 bolt ▪ M10x72 wood screw ▪ M8x100 bolt ▪ M8 x72 wood screw

Part No.	Material	Finish	Body	Bolt size
▪ SF-38Z	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ hollow type ▪ 38x7.5;38x38mm ▪ silicon rubber gasket included	▪ M8x70 hexagonal screw

Part No.	Material	Finish	Body	Mounting plate size
▪ SF-50T	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ 50x10;50x30mm ▪ silicon rubber gasket included	▪ 200x100x10mm