

الإغلاق الذاتي 316 الفولاذ المقاوم للصدأ الأبواب الزجاجية مفصلات لسمك بوابة البلياردو 8-12 ملليمتر، زوج واحد من الزجاج يمكن أن يدعم ماكس. وزن الباب الزجاجي 30 كجم.

مميزات الفولاذ المقاوم للصدأ الفولاذ المقاوم للصدأ 316 الفولاذ المقاوم للصدأ

اكتب	الإغلاق الذاتي
وظيفة	ربيع تحميل
نموذج رقم	G-G.
مادة	الفولاذ المقاوم للصدأ 316
إنهاء	الساتان، مرآة، طلاء مسحوق اللون الأسود، الطلاء الكهربائي
لسمك الزجاج	8MM 10MM 12MM
الأعلى. وزن ورقة الباب	30 كجم
مفتاح المفصلي	قبعات مسطحة أو قبعات مكونة
موك	زوج 1
بركة زجاجية أخرى	زجاج الباب بوابة مزلاج، حنفية الزجاج، المشابك الزجاجية

Spring loaded hinges

Stainless steel spring loaded hinges

-Made of SS 316

- For use of 8-12.76mm glass

Maximum door leaf weight : 30 kg /pair

Maximum door leaf width : 900mm

Spring can be adjusted for closing speed control .



Part # G-G



Part # G-R



Part # G-W

SHENZHEN LAUNCH CO., LTD

1

Spring loaded hinges

Spring loaded hinges

Glass latches with plastic cover



MODEL # GL-180



MODEL # GL-90



MODEL # GL-W



MODEL # GL-R

SHENZHEN LAUNCH CO., LTD

Spring loaded hinges

Glass latches with stainless steel cover



GI-180SS



GI-90SS



GL-WSS



GL-PSS

SHENZHEN LAUNCH CO., LTD

Glass spigot



MODEL # SBM



MODEL # SCM



MODEL # RBM



MODEL # RCM

□□□□□ □□□□ □□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□ -



