

الفولاذ المقاوم للصدأ عبر شريط حديدي لتصميم الدرج

وصف المنتج

المنتج نأأا	الفولاذ المقاوم للصدأ عبر شريط حديدي لتصميم الدرج
مواد	الفولاذ المقاوم للصدأ 304/316
إنهاء	مرآة مصقولة أو صقيل ناعم
حامل شريط	12mm لأنبوب
ارتفاع	أو ارتفاع العملاء 1000mm
حجم بريد الدرايزين	قطر 50.8 ملم ، سمك الجدار 1.5 مم. 5 أشواط أو حسب متطلبات العملاء
تيالمرجع السكك الحديدية	مع قوس درايزين 50.8mm قطر أنبوب
متزايد	تساعد السطح ، جبل الحفر الأساسية ، فأسيا (جانأ) تساعد
الحد الأدنى كمية الطلب	قطعة واحدة
عينة	مأاح للتحقق الجودة والانتهاء قبل النظام
تفتيش مصنع	مأاح
تم البيع كمجموعة	(.نعم فعلا، جاهز للتركيب. (يمكن بيعها بشكل فردي كذلك
معتمد	نعم فعلا، ميفوق ويتأاوز متطلبات حمولة السكك الحديدية الحرس
OME & amp	؛ خدمة التصميم إتوفرة

.□□□□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□□ 3



LCH-101



LCH-102




000000 0000 000





Staircase Cross Bar Balustrade Post Projects





1. The railing system shall be designed to meet the requirements of the International Building Code (IBC) and the American Society of Mechanical Engineers (ASME) standards. The railing shall be made of stainless steel or aluminum and shall be installed in accordance with the manufacturer's instructions.

2. The railing system shall be installed in accordance with the following requirements:

1. The railing shall be installed on the open side of the stairs. The railing shall be made of stainless steel or aluminum and shall be installed in accordance with the manufacturer's instructions. The railing shall be designed to meet the requirements of the International Building Code (IBC) and the American Society of Mechanical Engineers (ASME) standards.





深圳市朗驰商贸有限公司
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司
LAUNCH INTERNATIONAL LIMITED.

董 萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

💻 www.launch-china.com

www.chinabalustrade.com