

الفولاذ المقاوم للصدأ الثقيلة كليب المشبك قابل للتعديل الشاشة المحورية الحمام زجاج الباب المفصلي دش

اكتب	مفصلات الأبواب والنوافذ
مكان المنشأ	(قوانغدونغ ، الصين (البر الرئيسي
اسم العلامة التجارية	فبيل
رقم الموديل	G-W90SS
اسم المنتج	درجة مفصلي دش زجاجي للحائط 90
مواد	: الألومنيوم SS304 ، SS316
إنهاء	PSS SSS CP BN
بحجم	ملم 90 * 55
سمك الزجاج	ملم زجاج مقوى 8-12
تحمل	كلغ / زوج 45
فوكتيون	الزجاج على الحائط ، الزجاج على الزجاج
خاصية	سهلة التركيب ودائم وآمن
تطبيق	غرفة الاستحمام ، مكتب ، فندق ، منزل

:الدرجة العلمية & 90 درجة العلمية زجاج دش مفصل في استانلس صلب مواد 180



:مفصل دش زجاجي 90 درجة من الفولاذ المقاوم للصدأ ومواد الألومنيوم



اطهر التفاصيل:




التعينة:





تعليمات التحميل:

HINGE PARTS



MAIN BODY CONFIGURATION



TOP HALF CONFIGURATION



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG
THE DESIGNATED SLOT OF THE ACRYLIC DOOR



NOTE: REFER TO THE PICTURE BELOW AFTER
THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED
WILL ALREADY BE SET, NO NEED TO ADJUST



MAKE SURE THE SCREW
HEADS FACE INSIDE THE
ROOM WHEN ATTACHING
THE DOOR.

STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF
OF THE HINGE, ALIGNING WITH THE MAIN BODY



STEP 3 - INSERT THE BOLTS AND TIGHTEN
WITH A 4mm HEX KEY



صور المشروع:





:يرجى الاتصال بنا على النحو التالي

حوالء

sales03@launch-china.cn

HP / WhatsApp / WeChat: +8613686807796