

# الفولاذ المقاوم للصدأ المواجهة الزجاجية الجانبية تصاعد لتصاميم درابزين الشرفة

## وصف المنتج

المنتج نأنا	مواسير زجاجية من الصلب غير القابل للصدأ تصاعد جانبي لتصميم حواجز الشرفة
مواد	الفولاذ المقاوم للصدأ 304/316
إنهاء	مرآة مصقولة أو صقيل ناعم
حفر ثقب الزجاج الحجم	قطر 16 مم الثقب المطلوب في الزجاج
زجاج المواجهة الحجم	1) <b>SF-50</b> 50 * 12mm 30 * 50 ، الجسم mm مقبعة ، m12 * 120 ، وشملت التبراس ، وشملت 120 * m12 ، الجسم mm مقبعة ، 50 * 12mm 30 * 50 ، المطاط طوقا من المطاط 2) <b>SF-30</b> 30 * 10mm 25 * 30 ، الجسم mm كآب ، M8 * 100 ، وشملت بولت ، وشملت 100 * M8 ، الجسم mm كآب ، 30 * 10mm 25 * 30 ، المطاط طوقا من المطاط
المواجهة الزجاجية المخصصة	متاح. (يمكن أن نتج حسب متطلبات الزبون. (نحن مصنع
تركيب زجاج المواجهة	يمكن تثبيت في الخرسانة و خشب. (سوف تطابق مسامير مختلفة وفقا لمتطلبات العملاء
تصاعد زجاجي	الجدار تصاعد ، الجانب / فأسيا في تصاعد مستمر
الحد الأدنى كمية الطلب	قطعة واحدة
عينة	متاح للتحقق الجودة والانتهاة قبل النظام
تفتيش مصنع	متاح
لسمك الزجاج	سماكة الزجاج للعميل
تفاصيل التعبئة	واحد الزجاج المواجهة في كيس فقاعة واحدة ، ثم في مربع واحد أبيض. 30 واحد الكرتون. inton قطعة . - التعبئة حسب متطلبات الزبون
OME & amp؛ خدمة التصميم	اتوفرة

□□□□□□□□ □□□□□□□□ □□□□

□□□□□□□□ □□□□□□□□ (1) **SF-50** (742 :□□□□□□ □□□□□□g / (□□□□ - □□□□

□□□□□□ □□ □□□□□□ □□□□□□ □□ □□□□□□□□ □□□□□□□□




## SF-50

□□□□□□ □□ □□□□□□ □□□□ □□ □□□□□□□□ □□□□□□□□ -




□□□□□□ □□□□□□ (2) SF-30 ((□□□□ - □□□□ / □ 245 :□□□□□□ □□□□□□

□□□□□ □□ □□□□□□ □□□□□ □□ □□□□□□□□ □□□□□□□□



# glass standoff SFT-30

□□□□□□ □□ □□□□□□ □□□□ □□ □□□□□□□□ □□□□□□□□ -



○○○○○○ ○○○○○○○ ○○○○ ○○○○ (3)



Part No.	Material	Finish	Body	Bolt size
<ul style="list-style-type: none"> <li>SF-30</li> <li>SF-40</li> <li>SF-50</li> <li>SF-50A</li> </ul>	<ul style="list-style-type: none"> <li>AISI 304</li> <li>AISI 316</li> </ul>	<ul style="list-style-type: none"> <li>Satin</li> <li>Mirror</li> </ul>	<ul style="list-style-type: none"> <li>30x10; 30x25mm</li> <li>40x10; 40x30mm</li> <li>50x12; 50x30mm</li> <li>50x12; 50x50mm</li> <li>silicon rubber gasket included</li> </ul>	<ul style="list-style-type: none"> <li>M10x120 bolt</li> <li>M10x72 wood screw</li> <li>M8x100 bolt</li> <li>M8 x72 wood screw</li> </ul>



Part No.	Material	Finish	Body	Bolt size
<ul style="list-style-type: none"> <li>SF-38Z</li> </ul>	<ul style="list-style-type: none"> <li>AISI 304</li> <li>AISI 316</li> </ul>	<ul style="list-style-type: none"> <li>Satin</li> <li>Mirror</li> </ul>	<ul style="list-style-type: none"> <li>hollow type</li> <li>38x7.5; 38x38mm</li> <li>silicon rubber gasket included</li> </ul>	<ul style="list-style-type: none"> <li>M8x70 hexagonal screw</li> </ul>




Part No.	Material	Finish	Body	Mounting plate size
<ul style="list-style-type: none"> <li>SF-50T</li> </ul>	<ul style="list-style-type: none"> <li>AISI 304</li> <li>AISI 316</li> </ul>	<ul style="list-style-type: none"> <li>Satin</li> <li>Mirror</li> </ul>	<ul style="list-style-type: none"> <li>50x10; 50x30mm</li> <li>silicon rubber gasket included</li> </ul>	<ul style="list-style-type: none"> <li>200x100x10mm</li> </ul>

□□□□□□ □□□□□□ □□□□ □□□□ (4)

## Installation for glass standoff

1. Drill holes (approx.11mm) on the concrete first
2. Screw M12 bolt into the hole
3. Tighten B into bolt to go against concrete
4. Put one piece rubber pad and washer on to B
5. Put on glass panels against B, Glass holes will go through the washer
6. Put the other rubber pad against glass panel and then tighten A against glass

Installation Finished .









## □□□□□□ □□□□□□ □□□□□□ □□□□□□

□□□□ 30 .□□□□ □□□□ □□□□ □□ □□ □ □□□□□ □□□□□ □□□□ □□ □□ □□□□□□□ □□□□□□□ □□□□ :□□□□□□□ - inton □□□□  
 .□□□□□□ □□□□□□ □□□ □□□□□□ □□ □□□□□□□  
 □□ □□□□ □□□□□□□ □□□□ □□□ □□□□ 20-15 .□□□□□□□ □□□□□□□ □□ □□□□□□□ □□□ □□□□□ □□□□ □□□□ -  
 .□□□□□□□ □□□ □□□□□ □□□ □□□□□□□ □□□□□□□  
 .□□□□□□ □□□□ □□ □□□□ 20-15 .□□□□□ □□□ □□ □□□□ 7-5 :□□□□□□□□ -







□□□□□□□□

□□□□ □□ .1  
□□□□ □□ □ □□□

□□□□□□ □□□□ □□□□ □□ .2  
□□□□ □□□□ □□ □□ □□□□ □□□□□□ □□□□ □ □□□□□ □□□□□ □□□□ □□□ □ □□□

3. 316 316 304

316 316 304 Duplex 2205.

4. 1

1

5. T / T LC

T / T LC

6. T / T 100 30/70 L / C

T / T 100 30/70 L / C

7. 30 5

30 5

8. oem

oem

9. 12

12



! : :

sales04@launch-china.cn

-7559 8603 (755-86) :

-Skype: launch\_04

-13530506265-86 + : /



深圳市朗驰商贸有限公司  
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司  
LAUNCH INTERNATIONAL LIMITED.

**董 萍** Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

---

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092  
Nanshan Road, Nanshan District, Shenzhen, China  
postal code 518054

---

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

🌐 www.launch-china.com

www.chinabalustrade.com