

1. الوصف

المواد: الفولاذ المقاوم للصدأ 304/316-
الاستخدام: الزجاج الجدار/مربع بوست/جولة وظيفة-
الحجم: الرجاء راجع أدناه الرسم-
لسماعة زجاجية: 8-12 مم-


2. صورة المنتج

كتالوج والحجم


SHENZHEN LAUNCH CO., LTD
KEBIL 科比樂
STAINLESS STEEL BALUSTRADE AND FITTINGS

http://www.chinabalustrade.com


END CAP




Model No. : LCH-209	
Material	Stainless steel 304/316
Finish	Satin or mirror polished
For tube size	Ø 32mm, Ø 38mm, Ø 42mm, Ø 50mm, Ø 43mm, Ø 48mm, Ø 51.5mm, Ø 53.5mm




Model No. : LCH-211	
Material	Stainless steel 304/316
Finish	Satin or mirror polished
For tube size	20*25mm, 25*25mm, 30*30mm, 40*40mm, 40*50mm



Model No. : LCH-213	
Material	Stainless steel 304/316
Finish	Satin or mirror polished
For tube size	Ø 43mm or Ø 50.5mm




Model No. : LCH-214	
Material	Stainless steel 304/316
Finish	Satin or mirror polished
For tube size	Ø 43mm or Ø 50.5mm



Model No. : LCH-215	
Material	Stainless steel 304/316
Finish	Satin or mirror polished
For tube size	Ø 35.1mm or Ø 50.5mm


GLASS CLAMP

Material	Stainless steel 304/316
Finish	Satin / mirror polished
For glass thickness	8-12mm




Model No.	A	B	C	D	E
G102	50	40	25	11	3
G106R	52	40	25	11	R-21.5

Material	Stainless steel 304/316
Finish	satin / mirror polished




Model No.	A	B	C	D	E
G102	44	44	25	11	3
G106R	45	44	25	11	R-21.5

Material	Stainless steel 304/316
Finish	Satin / mirror polished
For glass thickness	6mm - 13.52mm




Model No.	A	B	C	D	E
G103	55	45	25	8	3
G104	50	45	25	13	3
G105	55	45	25	14	3
G106K	52	43	22	5	R-21.5
G104R	52	45	25	13	R-21.5
G105R	55	45	25	14	R-21.5

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Size	Ø 50mm
For glass thickness	8-12mm




BC-50

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Size	80x35 mm
For glass thickness	8-12mm




BC-80x35

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Size	80x35 mm
For glass thickness	8-12mm




CB-180

Material	Stainless steel 304/316
Finish	Satin / mirror polished
Size	52x52x25 mm
For glass thickness	8-12mm



CB-90

Material	Stainless steel 304/316
Finish	Satin / mirror polished
For glass thickness	8-12mm



Model No.	A	B	C	D	E
G102	50	40	25	11	3
G106R	52	40	25	11	R-21.5

للزجاج 8-10 مم G106R



(للزجاج 12-8 مم (مع رقم التعريف الشخصي داخل ودون دبوس كلاهما متاح G102





G102

G105 ، للزجاج أكثر سمكا 10-12 مم



.جديد تصميم زيبي كبيرة الزجاج المشبك للزجاج 12-15 ملم لزاوية 90 درجة







التثبيت

Glass Clamp Installation Guide



1
Mark and centre punch desired location of blind rivet nut location.



2
Drill centre punched hole in tube to suit blind rivet nut.



3
Insert blind rivet nut into tube and fasten with blind rivet tool.



4
Check installed blind rivet nut is secure and ready for install.



5
Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



6
Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



6a
If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



7
Fit glass panel into position, install second half of glass clamp secure with provided hex screws.











8
Tighten glass clamps with hex key, and check glass panel are secure with no movement.

التسليم والتغليف 3.

التسليم: 3-5 أيام قبل إكسبريس. 10-15 يوما قبل الشحن.
التعبئة: جهاز كمبيوتر واحد في كيس بلاستيكي واحد. 10 أجهزة في مربع واحد.
(المهلة الزمنية: حوالي 20 يوما بعد الدفع. (فإنه دبينت على الكمية



packing	plastic bag+box+carton
production lead time	30-45 days ; also depending on your qty.
Shippment	 
	 
	 
payment	 

مصنع وإصدار الشهادات-4





5. العملاء





build &
renovating
expo

Friday 4 July - Sunday 6 July 2014
Melbourne Exhibition Centre



جهة الاتصال .6

KEBIL 科比奥®

深圳市朗驰商贸有限公司
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司
LAUNCH INTERNATIONAL LIMITED.

董萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

🌐 www.launch-china.com

www.chinabalustrade.com

شكرا لك لزيارتك. الرجاء القيام هيست لا تتصل بنا لسعر المصنع مباشرة وتقديم المشورة الفنية.