

غير القابل للصدأ صلب مفصلات بوابة حمام السباحة ذاتية الإغلاق لمبارزة حمام السباحة مستخدم إلى عن على 8 ملم إلى 31612
ملم سماكة زجاج الألواح.

-مميزات مفصلة الباب الزجاجي

نوع	مفصلة بوابة التجمع
وظيفة	الربيع المفصلي نوع معشوقة
نموذج رقم	جي جي
مواد	الفولاذ المقاوم للصدأ 316
إنهاء	الساتان ، المرآة ، طلاء مسحوق اللون الأسود ، الطلاء الكهربائي
لسمك الزجاج	8 مم 10 مم 12 مم
ماكس. وزن ورقة الباب	30 كجم
غطاء المفصلي	قبعات مسطحة أو قبعات مخروطية
موك	زوج 1
أجهزة حمام السباحة الزجاجية الأخرى	مزلاج باب زجاجي ، حنفية زجاجية ، مشابك زجاجية

- Spring loaded hinges

Stainless steel spring loaded hinges

-Made of SS 316

- For use of 8-12.76mm glass

Maximum door leaf weight : 30 kg /pair

Maximum door leaf width : 900mm

Spring can be adjusted for closing speed control .



Part # G-G



Part # G-R



Part # G-W

SHENZHEN LAUNCH CO., LTD

1

-

Spring loaded hinges

Glass latches with plastic cover



MODEL # GL-180



MODEL # GL-90



MODEL # GL-W



MODEL # GL-R

SHENZHEN LAUNCH CO., LTD

Spring loaded hinges

Glass latches with stainless steel cover



GI-180SS



GI-90SS



GL-WSS



GL-PSS

SHENZHEN LAUNCH CO., LTD

□□□□□ □□□□□ □ □□□□□ □□□□□-

Glass spigot



MODEL # SBM



MODEL # SCM



MODEL # RBM



MODEL # RCM

□□□□□□ □□□□□ □□□□ □□□□□□□ □□□□ □□□□□ □□□□□□ -



