شنتشن إطلاق الزجاج بدون إطار صنابير الزجاج الدرابزين

دوبلكس 2205 / Lالمواد: الفولاذ المقاوم للصدأ 316 / 316
النهاية: المصقول أو الحرير مرآة مصقولة
mmلسماكة الزجاج: 10-13.52
الأرض وآلية التنسيق الإقليمية SCM نوع: حفر الأساسية، في تصاعد
الطول: 285 mm؛
suqare / الشكل: جولة
ميزة: لا حفر على الزجاج.
الأصل: شنتشن

وآلية التنسيق الإقليمية SCM ،جوهر الزجاج حفر حنفية
انظر أدناه، انقر الصورة لمزيد من المعلومات:

مرآة مصقولة: سطح مشرق

الساتان نحى: سطح أنيق

مشروع:
للسور حمام سباحة مفتوح ودائم المضادة القدرة الصدأ



الفناء الخلفي زجاج الجدار

توابعها

الزجاج مزلاج الباب، قابلة للقفل، حافة مشطوب والزاوية.

Model No. : GL-90	
Glass to glass latch 90 degree	
Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : In swing & out swing both available

Model No. : GL-180	
Glass to glass latch 180 degree	
Material	Stainless steel 316/ 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : Other degrees available according to your requirement

Model No. : GL-W	
Glass to wall / square post latch	
Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Model No. : GL-P	
Glass to round post latch	
Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

زجاج الباب المفصلي

Model No. : G-R2	
Casting glass to round post hinge	
Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm

Model No. : G-W2	
Casting glass to square post / wall hinge	
Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm

Model No. : G-G2	
Casting glass to glass hinge	
Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm