Hardwares بإطلاق Shenzhen Tunch الجانب جبل غير القابل للصدأالصلبأنظمة حديد الزجاج المواجهة لتصميم شرفة فرملس. يقوم مواجهة حديد الزجاج بالإضافة إلى توفير ألواح الزجاج المقسى لتقديم حلول دمج مشاريع حديدي العميل.

1). المواصفات. لأنظمة حديد الزجاج المواجهة

- الأجهزة المواجهة الزجاجية SF-50
- التراس M12 * 120، الجسم 50 * 30mm، قطر 50 مم، كاب 12 * 50mm
- جبل الخرسانة أو جبل الخشب
- تحتاج الثقوب زجاج قطرها 16 مم
- كل لوحة زجاجية تحتاج 4-6 قطع الزجاج الأضادف

2). صور لتصاعد الزجاج

Part No.	Material	Finish	Body	Bolt size
▪ SF-30 ▪ SF-40 ▪ SF-50 ▪ SF-50A	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ 30x10; 30x25mm ▪ 40x10; 40x30mm ▪ 50x12; 50x30mm ▪ 50x12; 50x50mm ▪ silicon rubber gasket included	▪ M10x120 bolt ▪ M10x72 wood screw ▪ M8x100 bolt ▪ M8 x72 wood screw

Part No.	Material	Finish	Body	Bolt size
▪ SF-38Z	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ hollow type ▪ 38x7.5;38x38mm ▪ silicon rubber gasket included	▪ M8x70 hexagonal screw

Part No.	Material	Finish	Body	Mounting plate size
▪ SF-50T	▪ AISI 304 ▪ AISI 316	▪ Satin ▪ Mirror	▪ 50x10;50x30mm ▪ silicon rubber gasket included	▪ 200x100x10mm