

[illegible]

:
:

316,316 000000 000000--L, 2205 000000

□□□□□ □□□□□ □□ □□□□□□□□□□-

13.52 10 1000000 1000000--

□□□□□ □□□□□ □□□□ □□□□□-

```
--AS/NZS □□□□□□□□
```

[illegible]

Figure 2.1 : Schematic diagram of the experimental setup.

□□□□□ □□□□□□□ □□□□□□□ □□□□□□□ :□□□□□ □□□□□-

1 000000 0000 000 2 000000 :00000000-

: □□□□□□ □□□□□ □□ □□□□□□ □□□□□□

SBM

-XX

□□□□□ □□□□□ □□□□ □□□□□□□□-- SCM

```
--[0000000000] [00000000] [0000] [000000] [000] [0000000000] [0000]
```

SCM-1

-1- □□□□ □□□□ □□□ □□ □□□□ □□□□□□□□ □□□□□□□□ □□□□□□

: □ □ □ □ □ □ □ □ □ □ □ □

$$\square\square\square\square + \square\square\square\square\square\square\square\square\square\square + \square\square\square\square\square\square\square\square\square\square\square\square$$

000000 000000 00 00 0000000000 00 0000 00 000000 1

□□□□□□□ □□□ 12 □□ 10 □□□□□□□

[illegible]

□ □ □ □ □ □ □



□□□□ □□□



0000000 000



0000 0000000 000000

Results Summary
(For details of individual tests, refer to the tables on the following pages.)


ID	Item/Heat No.	Dimensions/Type/Details	Finish	Overall Assessment
14117/01	SSBM316	180mm High, 50mm Square, Base Plate 316 Stainless steel	316L	COMPLIES

Remarks
After completion of the testing, the spigot was found to be in sound condition with no breakage, tearing or signs of fracture and no looseness of the fixings.

Colin Lorrimar
Metallurgical Testing Manager



00000000



□□□□□□□□ □□□□□



Shenzhen Launch Co.,Ltd



www.launch-china.cn

.وووووو ووو ووووووو ووووووو وو وو ووووو ووو ووو ووووو
وووو ووو ووووو وو ووووو ووووو ووووو .وووووووو ووووووو ووو وو ووووووووو وو!



深圳市朗驰商贸有限公司
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司
LAUNCH INTERNATIONAL LIMITED.

季敏

Merlin Ji

Senior Sales Representative

☎ (86) 189 6294 5180

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No. 1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054



(86-755) 8603 7559



(86-755) 8637 2611



sales06@launch-china.cn



www.launch-china.com

www.chinabalustrade.com