


□□□□□□ □□□□□□ □□□□□□ □□□□□□ 316 □□□□ □□□□ □□□□□□□□
 □□□□□□□□ □□□ □□□□□ □□□□ □□ □□□ □□□□□□□ □□□□□□ □□□□□□□□
 □□□.

□□□□□□ □□□□□□□□ □□□□□□ □□□ □□□□□ □□□□□□□□□□ □□□ □□□□.

1. 鋼筋の 鋼筋径φ 鋼筋長さ 鋼筋本数 鋼筋断面積 316 mm²
2. 鋼筋 鋼筋径φ 鋼筋長さ 鋼筋本数
3. 50MM 鋼筋
4. 50 * 12 mm²
5. 50 * 30mm 鋼筋
6. M12 鋼筋 72 * mm²

□□□□□ □□□□□□□ □□ □□□□□□ □□□□□□





深圳市朗馳商貿有限公司 SHENZHEN LAUNCH CO., LTD.				Surface treatment		Proport	
Design		Jacky	Drawing NO: SF-68	Material		1:1	
Check			Name: Standoff	No note of entity size tolerance			
Craft				Linear tolerance	X	±0.1	
Quantity	Total	Page	Audit		Revision	X.X	±0.1
						X.XX	±0.1
						X	±0.1
			Approve	V001	Angle tolerance	X	±1°
						X.X	±0.5°

□□□□□□□□ □□□.

12 □□□ □□□□□ □□□□□□ □□□□□□□□□□MM □□□□□□□

□□□□□□ □□□□□□□□ □□□□□□□□ 316 □□□□□□□□ □□□□□□□□□□



A photograph of a modern swimming pool. The pool is rectangular and filled with blue water. It is surrounded by a light-colored stone wall. A glass railing is installed on the right side of the pool. The pool is set in a backyard with a wooden fence in the background. A red brick house is visible on the left. The sky is blue with some clouds.



SF-50

□□□□

200 * 100 □□□□ □□□□□ □□ □□□MM□ □□□□□ □□□□□
□□□□



SF-50 T