

Glas Zapfen SBM Einleitung:



SBM

Dimension:

Höhe: 168MM;

Breite: 50mm rund;



Groove Höhe: 110mm;

Groove nach unten: 58mm;

Basisdurchmesser: 98mm;

Abdeckplatte Durchmesser: 100mm;

2 x M8 grub screws, SS316 pressure plate, special high quality Silikonkautschuk Dichtung.
100mm diameter dress ring/ cover plate to suit the round spigot for hiding visual fixings (cover plate must be used with installation).




Material:

Marine grade 316 Stainless Steel material to maximize the products life and appearance. This premium quality material is low carbon, Anti Rost - tough, durable, excellent resistance to corrosion, suitable for outdoor uses.

Oberfläche:

Finished with a fantastic high quality mirror polished finish.

Herunterladen [Glaszapfen SBM technische Zeichnung](#) Hier.



Glas Zapfen SBM Feature:

- 1.Strong friction clamping system for NO HOLE glass, quick and easy to DIY Install. You can put as many clamps as you like along larger panels of glass.
- 2.Glass Zapfen sind aus Edelstahl massiv! Nicht hohl!
- 3.suits 10 ODER 12mm gehärtetem Glas.
- 4.Designed and manufactured according to to Australian Standard for swimming pool fencing safety, Australia Balustrade Standard AS& NZS.

Glas Zapfen SBM Anwendung:

Stainless steel glass spigots used for fixing glass of swimming pool fencing walls for outdoor living, antirust and very durable.

Nice-

looking mini posts apply to support 10 or 12mm fully frameless glass for fence in home & garden.

Glass gator clamps for the construction of glass handrails for a beautiful stair balustrade or balcony.

Glas Zapfen SBM DIY Installation:

- 1.Mark die Mittellinie der vorgeschlagenen Glaszaun.
- 2.Determine spigot location and mark out the hole positions, drill the required holes.
- 3.Bolt the base plated spigot into position using the expansion screws for concrete/pavings/tiles or timber screws for wooden decking.
- 4.Fit die Deckplatte vor der Installation von rahmenlosen Glas.
- 5.Install the glass to the spigots and tighten the clamp with supplied Allen key.

Glas Zapfen SBM Verpackung:

Each glass spigot with 1 cover fitted is wrapped up with one air foam bag to protect from scratches.

Each spigot with foam bag is put into 1 carton box.

4 Stück Dehnschrauben &

4 sets timber screws for installation wrapped by thick rubber hose is put together with 1 spigot.

4 kleine Boxen werden in 1 großen Karton verpackt.

1 set installation tool allen keys free supplied in 1 big box.

Each big carton box is individually wrapped up with wrapping film & packing tapes.