

**Aluminium -Bifold -Falt -Terrassentürtüre Bruch doppeltemperiertes Glas
Außenschiebetüren**

Produktspezifikation

Spezifikation	
Produktname	Thermische Bruch Aluminium Bi -Falttüren
Profiloptionen	Profilmarke: Chinesische Marke
	Profildicke: 2,0 mm
	Oberflächenbehandlung: Pulverbeschichtung, Anodisierung, PVDF - Beschichtung usw.
	Farbe: weiß, schwarz, grau, benutzerdefinierte Farbe
Glasoptionen	Standardspezifikation: 5mm27a5 mm
	Material: Temperiertes Glas
	Farbe: Ultra klar, klar, gefrostet, grau, grün, benutzerdefinierte Farbe
	Typen: Einglas, lamimiertes Glas usw.
Andere Zubehör	Versiegelungsstreifen: EPDM Materail
	Schloss: Chinesische Top -Marke
	Spur: Edelstahlschiene
	Roller: Hochfestes Polyamid

Produktbilder und Details






HANDLE



LOCK BODY



HINGE



FOLDING DOOR PULLRY



FOLDING DOOR TOP WHEEL



D-shape Handle

The Folding Process is easy to operate



Heavy-Duty Hinge

Single Weight **150kg**



Top Wheel

Prevent The Door From Swinging
From Side To Side




Return Pulley


Easy Folding Push Smooth Without
Resistance

Configuration


Doors




Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows



Awning




Casement



Louvre



Sliding




Window Wall



Bay



Fixed



Double Hung



Bi-fold




Screens

Aluminiumprofilfarben




Glass Types

Variety Of Glass & Profile Available




Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass

APPLICATION



ENTRANCE



BACKYARD



LIVING ROOM



DINING ROOM



BALCONY



DECK

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine

Bitte zögern Sie nicht, uns zu besetzen, wenn Sie an den Produkten interessiert sind

Frank Fang

WhatsApp/Telefon: 8615906261741

E-Mail: sales02@launch-china.cn