


Spezifikation	
Produktname	Aluminium -Schiebetür BIFOLD FALTING Terrassentür Thermischer Bruch doppelte faltungsgeklemmte Glastüren
Material	Aluminiumlegierung 6063-T5 Profil Glas Zubehör
Profiloptionen	Profilmarke: Chinesische Marke
	Profildicke: 2,0 mm
	Oberflächenbehandlung: Pulverbeschichtung, Anodisierung, PVDF -Beschichtung usw.
Glasoptionen	Farbe: weiß, schwarz, grau, benutzerdefinierte Farbe
	Standardspezifikation: 5mm27a5 mm
	Material: Temperiertes Glas
Andere Zubehör	Farbe: Ultra klar, klar, gefrostet, grau, grün, benutzerdefinierte Farbe
	Typen: Einglas, laminiertes Glas usw.
	Versiegelungsstreifen: EPDM Materail
	Schloss: Chinesische Top -Marke
	Spur: Edelstahlschiene
	Roller: Hochfestes Polyamid





D-shape Handle

The Folding Process is easy to operate



Heavy-Duty Hinge

Single Weight **150kg**



Top Wheel

Prevent The Door From Swinging From Side To Side




Return Pulley


Easy Folding Push Smooth Without Resistance

Configuration


Doors




Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold




Sliding Wardrobe



Showerscreens




Screens



Pivot Door
Entry Units


Windows




Awning




Casement



Louvre



Sliding




Window Wall




Bay



Fixed



Double Hung




Bi-fold




Screens

Glass Types

Variety Of Glass & Profile Available




Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass



LIVING ROOM



BALCONY



KITCHEN



BEDROOM

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine