

Geländer aus Aluminium Geländer, Aluminiumprofil für Glasgeländer

Produktbeschreibung

Produkt Mamich	Aluminiumgeländer Handlaufpfosten
Material	Aluminium 6063 T5
Fertig	Pulverbeschichtung (schwarz, Weiß, grau oder Kundenfarbe)
Maximale Glasdicke	12mm
Sqaure Dimension	50x50mm, 3mm dick
Runde DImension	Durchmesser 50 mm, 3mm dick
Standrad Höhe	1265mm oder Kunden " Höhen
Installation	Oberflächen-Montage oder Kernbohrmaschine
Festigkeits-Testbericht	Ja
Bereit zur Installation	Ja
Glas zu Floor Gap	50mm
Ende Cap nach GMädel Distance	10mm
Verkauft als ein Bausatz	Basis-Kunststoff & Abdeckung, obere Endkappe, 50mm Länge geschweißter Aluminiumeinsatz unten, Kunststoffstift für Glas zum Aufsetzen, Kunststoffkanal
Arten	1) halber Pfosten 2) one way end post 3) 2 Weg 180 Grad 4) 2 Weg 90 Grad 5) 2 Weg 135 Grad
Appliacion	Schwimmbad Zaun, Balkon Glasgeländer, Aluminium Deck Geländer, Treppe Koffergeländer
Sample	Verfügbar zum Prüfen Qualität vor Bestellung
Werksinspektion	Verfügbar

Aluminium Handrail Post Destails



1) Runde Handläufe aus Aluminium



2) Quadratische Aluminiumgeländerpfosten



3) Aluminium Handlauf Pfosten Zeichnung



4) Ein Satz von Aluminium Handlauf Post






Aluminium Handlaufpfosten Fittigs

–

Abdeckungen



Endkappen



Grundplattenschweißen



Festigkeitstest Report

Introduction

MTS Metallurgical Testing Services was engaged at the client's request to witness the installation of a sample pool fence post and to subsequently conduct load tests on the post to the requirements of the Australian Standard AS 1926.1 - 2012.

Standard/Specification AS 1926.1 - 2012, Section 3.2 and Appendix B

Results Summary

(For details of individual tests, refer to the tables on the following pages.)

ID	Item/Heat No.	Dimensions/Type/Details	Finish	Overall Assessment
14110/01	ASB1265	1265mm High, 50mm Square, Aluminium, Base Plate	6063-T5	COMPLIES

Remarks

After completion of the testing, the post was found to be in sound condition with no breakage, tearing or signs of fracture and no looseness of the fixings.

Colin Lorrimer
Metallurgical Testing Manager



Accreditation No: 15624
Accredited for compliance
with ISO/IEC 17025

Aluminium Glas Geländer Projekte

Outdoor Schritte Aluminium Geländer in Norwegen.



Schwimmbad Zaun in Australien.



Balkon Aluminium Geländer Design in Kanada



Kontakt

Alle Anfragen oder Fragen, bitte hinterlassen Sie eine Nachricht. Wir werden uns so schnell wie möglich bei Ihnen melden!

Für dringende Anfragen kontaktieren Sie bitte unten

Skype: launch_04

wechat: 973219879

Mob / Wie geht's: + 86-13530506265

KEBIL 科比奧®
深圳市朗驰商贸有限公司
SHENZHEN LAUNCH CO., LTD.
朗驰国际有限公司
LAUNCH INTERNATIONAL LIMITED.

董 萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

🌐 www.launch-china.com

www.chinabalustrade.com

