

Fußkreuz Aluminium U-Kanal mit runden Edelstahl oberer Schiene







Frameless Balustrade Schiene Aluminium U-Kanal Glas Geländer Hardware



1m aluminum channel contains the following accessories



Waterproof tape
2 meters



Aluminum and plastic fittings
3 sets



Expansion bolts
3 pieces

Aluminium Glasgeländer Spezifikationen:

RAILING PART - KELLER	MATERIAL	DIMENSION (MM)	Oberflächenveredelungen	GEEIGNET GLASS Dicke (mm)
U-Kanal / U Profil	Aluminium ALLOY	102 * 62	Eloxieren / Sprühfarbe	12-13,52
		102 * 67		8 + 1,52 + 8
		102 * 70,5		10 + 1,52 + 10
Inside System & Bolt	3 oder 4 Meter pro Längen			
Verschalungen	SUS 304 / SUS 316	102	Mattiert / Spiegel	/
Gummi	Kunststoff	Verschiedene	Schwarz	Alle



**Aluminium Basis U-Profil für Glasgeländer Balustrade in Schwarz
Farbe:**



Erhältlich Modelle:

LCH-A01 / A02: ohne / mit Verkleidung für die Verwendung mit 20 mm bis 21.52mm Glas

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters Aluminum plastic fittings 3 sets Expansion screws 3 pieces

LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Decorative cover 2 meters Aluminum plastic fittings 3 sets Expansion screws 3 pieces

LCH-B01 / B02: ohne / mit Verkleidung für die Verwendung mit 16mm bis 17.52mm Glas

LCH-B01



16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-B02



16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-C01 / C02: ohne / mit Verkleidung für die Verwendung mit 12mm bis 13.14mm Glas

LCH-C01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-C02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-D01 / D02: ohne / mit Verkleidung für die Verwendung mit 12mm bis 13.14mm Glas

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Waterproof tape 2 meters



Aluminum plastic fittings 3 sets



Expansion screws 3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m



Decorative cover 2 meters




Aluminum plastic fittings 3 sets



Expansion screws 3 pieces

Massenproduktion und Verpackung













WEITERE TYPEN VON ALUMINIUM U KANAL FÜR GLAS RAILING:

Small profile: for glass thickness 10-12.76mm




Big profile: for glass thickness 20-30mm




SCHLITZ TUBE GELÄNDER:





KEBIL 科比奥®





- | | |
|--|--|
| 1. Aluminum Railing Base | 7. End Cap |
| 2. Stainless Cap Screw | 8. Setting Block |
| 3. ½" Tempered Float Glass | 9. Expansive Cement |
| 4. Top Rail | 10. Cladding |
| 5. Splice | 11. Protective Insert |
| 6. Corner fitting
(Horizontal Shown Vertical
Also Available) | 12. Handrail Brackets and Fittings
Also Available |

Kontaktieren Sie uns für weitere Informationen:

Frank Fang

E-Mail: sales02@launch-china.cn

Mobile / WhatsApp: +8615906261741