


## Verzinkte Eisenhandläufe antike pulverbeschichtete Balkongeländer aus verzinktem Stahl mit Bodenmontage mit Handläufen

Produktname	Verzinktes Stahlgeländer	Normale Größe	H 1,1 m*W 1,2 m
Hoch begrenzen	2 m	Rohrdicke	1,2-2,5 mm
Startcharge	20 m oder 20□	Produktort	Provinz Guangdong, China
Material	Stahl	Einheitspreisberechnung Methode	Höhe unter 1,2 m in Metern, Höhe über 1,2 m im Quadrat
Handwerk	zusammengebaut und geschweißt	Oberflächenbehandlung	Pulverbeschichtet







**Montage:**













**Installationsführer:**

# Guard Rail Assembly Instructions

**Tools Required:** Electrical Power Drill  
(Impact Drill Preferred)

**Overview:** Assemble the rail and position it before marking holes for drilling. Improper installation can lead to failure of rail system or injury.



<sup>2</sup> Double check posts are parallel and tight against inside rail before marking holes for drilling.

<sup>1</sup> Inside rail will be loose until each post is secured to the ground.

<sup>3</sup> Push and pull top rail & inside rail to ensure all is secure.


**Produktion&VerpackungvonTreppeStahlHandläufebeimunserWerkstatt**

:



**KEBIL®**

SHENZHEN LAUNCH CO., LTD







**Bitte fühlenfreizu Kontaktunsummehr Einzelheiten:**

**Kontakt: Vorabend**

**Email:sales03@launch-china.cn**

**HP/WhatsApp:+8613686807796**