




Innentreppe Glasgeländer Edelstahl Square Glas Balustrade

1.	Material & Finish.	Edelstahl 304/316; Satin oder Spiegel
2.	Höhe	1000mm / benutzerdefinierte Größe
3	Stützpunkt	D50.8 * 1,5 (mm) Röhre; 4 Wege verstellbare obere Schienenhalterung; Quadratische oder runde Glasklemme.
4.	Spitzenschiene.	D50.8 * 1,5 (mm) Hohlrohr
5.	Sicherheitsgeländer.	10mm / 12mm getemperte klare Glasscheibe
6.	Verwendungszweck & Ort	Baluster, Balustrade, Banister, Zaun, Handlauf, Geländer; Balkon, Brücke, Deck, Garten, Terrasse, Pool, Veranda, Treppe, Terrasse
7.	Installation	Top / Seite montiert
8.	Paket	EPE + Innenbox + Karton

ProduktShow



TechnischZeichnung



Square post railing design with handrail



End post




90 Degree corner post



Middle post

Installation:


Glass Clamp Installation Guide



Mark and centre punch desired location of blind rivet nut location.



Drill centre punched hole in tube to suit blind rivet nut.



Insert blind rivet nut into tube and fasten with blind rivet tool.



Check installed blind rivet nut is secure and ready for install.



Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Projekthow.

Innentreppe Glasgeländer Edelstahl Square Glas Balustrade
Für Treppenhaus- / Deck-Designs:



Willkommen zuKontaktWir für mehr Details:
Wendy: sales04@launch-china.cn.
HP / WhatsApp / Wechat: +8615989339827