

Unsere Aluminium -Bifloldetüren sind so konzipiert, dass sie eine maximale Tragfähigkeit ermöglichen und gleichzeitig schlanke Sichtlinien, übergroße Türen und Mindestprofile anbieten.

Aluminiumlegierung Wandstärke Oberflächenbehandlung

| | | | |
|-------------------------|---|--------------|---|
| Aluminiumprofile | 6063-T5 | 1.4-2.0mm | Schwarz/Weiß/Grau |
| | Mit thermischem Bruch Aluminiumsystemdesign für mehr energiesparende Funktion | | |
| | Typ | Dicke | Farbe |
| Glas | Temperiertes Glas | 4-6 mm | Milch/schwarz/deluxe weiß/opaken laminiert/gefrostet Kombiglas/Klar/Musterglas/Diamantglas Wasserkornglas/geräuchertem Frosted/White Laminiert |
| Hardware | China Top-Brand-Hardware oder Deutschlandmarke | | |
| Zubehör | EPDM -Dichtungsgummi Edelstahl 304# Zubehör oder Aluminiumzubehör | | |
| Produktstandard | Basis auf den Ladenzeichnungen, die vom Käufer genehmigt wurden | | |

Die folgenden Fotos zeigen einen anderen Status, wenn es geöffnet und geschlossen ist.



Produktdetails -



High-Strength Rollers

Durable rollers ensure smooth and stable operation with frequent use.



Secure locking system

Secure locking system enhances safety and offers superior anti-theft protection.



Double Tempered Glass

Multi-layer glass provides excellent soundproofing and insulation.

Test und Inspektion von Aluminium-Doppelglas-BIFOLD-Akkordeontüren-



Verpackung & Versand-

Bubble bag EPE plywood crates.



Verwandte Produkte -



Our Workshop photos for aluminum glass doors -

