

1. Beschreibung

- Material: Edelstahl 304/316
- Verbrauch: Glas, Wand / Vierkant Post/Runde post
- Größe: siehe bitte unten Zeichnung
- Für Glasstärke: 8-12mm

2. Produktbild

Katalog & Größe

STAINLESS STEEL BALUSTRADE AND FITTINGS



SHENZHEN LAUNCH CO., LTD

<http://www.chinabalustrade.com>

END CAP




LCH-209

| Model No. : LCH-209 | |
|---------------------|--|
| Material | Stainless steel 304/316 |
| Finish | Satin or mirror polished |
| For tube size | Ø 20mm, Ø 25mm, Ø 28mm, Ø 30mm, Ø 40mm, Ø 43mm, Ø 50.8mm, Ø 53.5mm |




LCH-211

| Model No. : LCH-211 | |
|---------------------|---|
| Material | Stainless steel 304/316 |
| Finish | Satin or mirror polished |
| For tube size | 20*25mm, 25*25mm, 30*30mm, 40*40mm, 40*25mm |




LCH-213

| Model No. : LCH-213 | |
|---------------------|--------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin or mirror polished |
| For tube size | Ø 43mm or Ø 50.8mm |



LCH-214

| Model No. : LCH-214 | |
|---------------------|--------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin or mirror polished |
| For tube size | Ø 43mm or Ø 50.8mm |




LCH-215

| Model No. : LCH-215 | |
|---------------------|--------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin or mirror polished |
| For tube size | Ø 35.7mm or Ø 50.8mm |

GLASS CLAMP

| | |
|---------------------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |
| For glass thickness | 8-12mm |



| Model No. | A | B | C | D | E |
|-----------|----|----|----|----|--------|
| G102 | 55 | 45 | 25 | 11 | 3 |
| G104 | 52 | 42 | 25 | 11 | R-21.5 |
| G106R | 52 | 42 | 25 | 11 | R-21.5 |
| G108R | 55 | 45 | 25 | 14 | R-25.4 |

| | |
|----------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |



| Model No. | A | B | C | D | E |
|-----------|----|----|----|----|--------|
| G102 | 44 | 44 | 25 | 11 | 3 |
| G104R | 45 | 44 | 25 | 11 | R-21.5 |

| | |
|---------------------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |
| For glass thickness | 6mm-13.52mm |



| Model No. | A | B | C | D | E |
|-----------|----|----|----|----|--------|
| G102 | 55 | 45 | 25 | 8 | 3 |
| G104 | 52 | 42 | 25 | 13 | 3 |
| G105 | 55 | 45 | 28 | 14 | 3 |
| G106R | 52 | 42 | 22 | 5 | R-21.5 |
| G108R | 52 | 42 | 28 | 13 | R-21.5 |
| G109R | 55 | 45 | 25 | 14 | R-25.4 |

| | |
|---------------------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |
| Size | 80x35 mm |
| For glass thickness | 8-12mm |



BC-50

| | |
|---------------------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |
| Size | 80x35 mm |
| For glass thickness | 8-12mm |



BC-80x35

| | |
|---------------------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |
| Size | 52x52x25 mm |
| For glass thickness | 8-12mm |



CB-90

| | |
|---------------------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |
| Size | 80x35 mm |
| For glass thickness | 8-12mm |



CB-180

| | |
|---------------------|-------------------------|
| Material | Stainless steel 304/316 |
| Finish | Satin / mirror polished |
| For glass thickness | 8-12mm |



CB-90

11/12

G106R für 8-10mm Glas



G102 für 8-12mm Glas (mit Pin innen und ohne pin beide verfügbar)





G102

Für dickeres Glas 10-12 mm, G105



Neue Design große Zise Glas Klemme für 12-15mm Glas für 90-Grad-Ecke.







Installation

Glass Clamp Installation Guide



Mark and centre punch desired location of blind rivet nut location.



Drill centre punched hole in tube to suit blind rivet nut.



Insert blind rivet nut into tube and fasten with blind rivet tool.



Check installed blind rivet nut is secure and ready for install.



Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



Tighten glass clamps with hex key, and check glass panel are secure with no movement.









3. Lieferung & Verpackung

Lieferzeit: 3-5 Tage per Express. 10-15 Tage nach Versand

Verpackung: 1 pc in eine Plastiktüte. 10 Stück in einer Box.

Lieferzeit: ca. 20 Tage nach Zahlung. (Es depeht auf Quantität)



| | |
|----------------------|--|
| packing | plastic bag+box+carton |
| production lead time | 30-45 days ; also depending on your qty. |
| Shippment |   |
| |   |
| payment |   |
| |   |

(4) Fabrik & Zertifizierung





5. Kunden





**build &
renovating
expo**

Friday 4 July - Sunday 6 July 2014
Melbourne Exhibition Centre



6. Kontakt

KEBIL 科比奥®

深圳市朗驰商贸有限公司
SHENZHEN LAUNCH CO., LTD.

朗驰国际有限公司
LAUNCH INTERNATIONAL LIMITED.

董 萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No.1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

🌐 www.launch-china.com

www.chinabalustrade.com

Vielen Dank für Ihren Besuch. Zögern Sie bitte nicht Heasite kontaktieren Sie uns für direkten
Fabrikpreis und professionell berät.