


Produktname	Holzstufe Stringer schwebte gerade Treppen mit zentraler Wirbelsäule mit rahmenloser Glasgelandertreppe	
Treppenspezifikationen		
Größe	Bodenhöhe	Angepasst als Ihr Projekt
	Breite	700-1500 mm
Material	Treten	Laminiertes Glas /Temperierte Glas /festes Holz /Marmor /Edelstahl /Schmiedeeisen
	Geländer	Glasgeländer/Edelstahlkabelgeländer/Edelstahlstangengeländer/Schmiedeeisengeländer
Komponenten und Größen	Profildicke	30 bis 100 mm festes Holzstufe
		101,52101,5210 mm oder 121,5212 mm temperdiges Laminat -Glaschritt
	Geländer	Dia = 50,8 mm oder Quadrat = 50*50 mm
	Baluster	Dia = 50,8 mm oder Quadrat = 50*50 mm
	Glas	12-17,52 mm Dicke
	Edelstahl	Spiegel / Satin / Schwarz
Beenden	Kohlenstoffstahl	Heiße Dip -Galvanisierungs- / Pulverbeschichtung / Malerei
	Aluminium	Pulverbeschichtung / verzinkt / oxidieren
	Massives Holz	Malerei
	Glas	Klare / gefrostet / getönt


▼ Popular Design




STRAIGHT
STAIRS




QUARTER-TURN
(L-SHAPE)




HALF-TURN



THREE-QUARTER
TURN



180 DEGREE
TURN
(SWITCHBACK)




CIRCULAR



SPIRAL



WINDING



BIFURCATED

Stringer Options



floating beams



mono stringer



plate-stringer



Z-plate stringer


Tread options




wood tread



glass tread



marble tread




steel tread

Railing Options



U channel glass railing



standoff glass railing



rod railing



cable railing

Top-handrail options



wood



stainless steel



stainless steel





pvc




单龙骨楼梯 Mono Stringer stairs • Ireland stair

玻璃护栏 Glass railing



单龙骨楼梯 Single Stringer stairs


不锈钢拉杆木扶手 Stainless steel rod wooden handrail





单龙骨楼梯 Single Stringer U shape stairs for Spain client

玻璃护栏 Glass handrail 镜钉护栏 Standoff glass railing with wood cover



单龙骨楼梯 Single Stringer stairs

玻璃护栏 Glass handrail 镜钉护栏 Standoff glass handrail

侧装不锈钢圆管扶手

Side-mounted stainless steel round tube handrail

