

Presupuesto

Nombre del producto	Ventanas deslizantes de aleación de aluminio ventanas de vidrio templado doble acristalado
Material	Aleación de aluminio 6063-t5 Perfil vidrio accesorios
Opciones de perfil	Marca de perfil: marca china
	Espesor del perfil: 2.0 mm
	Tratamiento de superficie: recubrimiento en polvo, anodización, recubrimiento de PVDF, etc.
Opciones de vidrio	Color: blanco, negro, gris, color personalizado
	Especificación estándar: 5 mm27a5 mm
	Material: vidrio templado
Otros accesorios	Color: ultra claro, claro, helado, gris, verde, color personalizado
	Tipos: vidrio único, vidrio lamimado, etc.
	Franja de sellado: EPDM Memail
	Lock: Brand Top China
	Track: Rail de acero inoxidable
	Roller: poliamida de alta resistencia






Window types



C1



C2




C3



C4



C5




C6

Glass Types


Variety Of Glass & Profile Available




Temperde glass




Single glass



Double glass



Triple glass



Laminated glass




Frosted glass




Low-E glass




Reflective glass



Single panel glass



Double panel glass




Triple panel glass



Safety hardware

- Automatic lock and child lock configuration to enhance safety performance



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage


- Water tightness
- Air tightness



Applications




Kitchen



Home



Doorway



Living room



Bedroom



Hostel

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine