

Precio de FÁBRICA Venta directa al aire libre 2-3 pasos se adapta al kit de barandilla de hierro forjado negro barandilla de escalera balaustradas y pasamanos


nombre del producto	Barandilla de acero galvanizado	Tamaño regular	Alto 1,1 metros x ancho 1,2Metros.
límite alto	2 M	Grosor del tubo	1,2-2,5mm
Lote inicial	20 mo 20□	Lugar del producto	Provincia de Guangdong, China
Material	Acero	Método de cálculo del precio unitario	Altura inferior a 1,2 m en metros, Altura superior a 1,2 m en cuadrados
Artesanía	ensamblado y soldado	Tratamiento de superficies	Recubierto de polvo











Asamblea:














Guías de instalación:

Guard Rail Assembly Instructions

Tools Required: Electrical Power Drill
(Impact Drill Preferred)

Overview: Assemble the rail and position it before marking holes for drilling. Improper installation can lead to failure of rail system or injury.




² Double check posts are parallel and tight against inside rail before marking holes for drilling.

¹ Inside rail will be loose until each post is secured to the ground.

³ Push and pull top rail & inside rail to ensure all is secure.

Producción & embalaje de escalera acero pasamanos en nuestro taller:









Por favor sentir gratis a contacto a nosotros para más detalles:

Contacto: wendy

Correo electrónico: ventas04@launch-china.cn

HP/WhatsApp: 86159 8933 9827