Barandilla de cristal de la escalera interior Baliñada de cristal cuadrada de acero inoxidable

1	Material y acabado	Acero inoxidable 304/316; Acabado de satén o espejo
2	Altura	1000mm / tamaño personalizado
3	Post de STANCHION	D50.8 * 1.5 (mm) tubo; Soporte de riel superior ajustable de 4 vías; Abrazadera cuadrada o de vidrio redondo.
4	Riel superior	D50.8 * 1.5 (mm) tubo hueco
5	Barandilla de seguridad	Panel de vidrio transparente de 10 mm / 12 mm
6	Uso y Localización	Balaustre, balaustrada, barandilla, valla, barandilla, barandillas; Balcón, Puente, Deck, Jardín, Patio, Piscina, Porche, Escalera, Terraza
7	Instalación	Top / lateral montado
8	Paquete	EPE + Caja interna + Cartón

ProductoEspectáculo

TécnicoDibujo



KEBIL科比奥®

Square post railing design with handrail

End post

90 Degree corner post

Middle post

Instalación:

Glass Clamp Installation Guide



Mark and centre punch desired location of blind rivet nut location.

Drill centre punched hole in tube to suit blind rivet nut.

Insert blind rivet nut into tube and fasten with blind rivet tool.

Check installed blind rivet nut is secure and ready for install.

Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.

Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).

If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.

Fit glass panel into position, install second half of glass clamp secure with provided hex screws.

Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Programa de proyectos

Barandilla de cristal de la escalera interior Baliñada de cristal cuadrada de acero inoxidable
Para diseños de escalera / cubierta:

Bienvenido acontactoNosotros para más detalles:
WENDY: sales04@launch-china.cn
HP / WHATSAPP / WECHAT: +8615989339827