

Shenzhen Launch fabrica una base de restos de riel de riel de vidrio pulido pulido de alta calidad para sistemas de barandilla de balcones de vidrio sin marco.



CARACTERÍSTICAS-

Diseño compacto con base, tapa y tornillos de montaje (o tornillos de madera / tornillos de retraso)

Para usar con vidrio de 1/2 "y 3/4" (12 y 19 mm) de espesor o 9/16 "y 27/32" (13.52 y 21.52 mm) vidrio templado laminado para sistemas de barandilla de vidrio sin marco.

Aleación de alta calidad 316 acero inoxidable Para montaje en sustrato de acero, concreto o madera.

Estos pesados **Base y gorras de pieza de cristal** Trabajar con barandillas de mano o guardia.

Part No.	Material	Finish	Body	Bolt size
• SF-30			• 30x10; 30x25mm	• M10x120 bolt
• SF-40	• AISI 304	• Satin	• 40x10; 40x30mm	• M10x72 wood screw
• SF-50	• AISI 316	• Mirror	• 50x12; 50x30mm	• M8x100 bolt
• SF-50A			• 50x12; 50x50mm	• M8 x72 wood screw
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Bolt size
• SF-38Z	• AISI 304	• Satin	• hollow type	• M8x70 hexagonal screw
	• AISI 316	• Mirror	• 38x7.5; 38x38mm	
			• silicon rubber gasket included	



Part No.	Material	Finish	Body	Mounting plate size
• SF-50T	• AISI 304	• Satin	• 50x10; 50x30mm	• 200x100x10mm
	• AISI 316	• Mirror	• silicon rubber gasket included	

