

Shenzhen lanzamiento de vidrio sin marco espigas de vidrio barandilla

Material: acero inoxidable 316 / 316L / Duplex 2205

Acabado: satinado o espejo pulido

Para espesor del vidrio: 10-13.52mm

Tipo: núcleo perforado, en SMC fijación al suelo y RCM

Altura: 285 mm;

Forma: redondo / square

Sin perforado en el vidrio;

Origen: Shenzhen

Core vidrio perforado grifo, SCM y CRM

Vea a continuación, haga clic en la imagen para obtener más información:



Espejo pulido: superficie brillante



Satén cepillado: elegante superficie



Proyecto:

Para piscina vallas al aire libre, capacidad duradera contra la roya



Valla de vidrio Patio trasero



Accesorios relacionados

Pestillo de la puerta de cristal, con cerradura, con el borde biselado y la esquina;



Model No. : GL-90

Glass to glass latch 90 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : In swing & out swing both available



Model No. : GL-180

Glass to glass latch 180 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : Other degrees available according to your requirement



Model No. : GL-W

Glass to wall / square post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm



Model No. : GL-P

Glass to round post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Glass bisagra de la puerta



Model No. : G-R2

Casting glass to round post hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



Model No. : G-W2

Casting glass to square post / wall hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



Model No. : G-G2

Casting glass to glass hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm