Barandillas exteriores de cable de escalera de acero inoxidable pulido 316 para la decoración de la casa diseños hermosos y de calidad.

Por qué elegirnos ?

El lanzamiento de Shenzhen es verificado por SGS.

# Alibaba.com Gold Plus Supplier

## Main Product Lines Verification Report

*Presented to*

**Shenzhen Launch Co., Ltd.**

深圳市朗驰商贸有限公司

| | |
|---|---|
| Company Address | B5003, Building 3, Yilida Building, No. 1092 Nanshan Avenue, Dengliang Community, Nanshan Street, Nanshan District, Shenzhen City, Guangdong Province, China |
| Consigner of Assessment: | Alibaba |
| Gold Supplier Member ID: | launch168 |
| Gold Supplier Company Name: | Shenzhen Launch Co., Ltd. |
| Contact Person: | Mr. Binfeng Gao |
| Phone Number: | 0086-13802569770 |
| Fax Number: | 0086-755-86372611 |
| Email: | gbf999@china.com |
| Website Address (URL): | http://launch-china.en.alibaba.com |

*Service Provided by SGS*
*Report No.: 19536352_P+T*

| | | | | |
|---|---|---|---|---|
| Cutting Machine | XN | 4 | 3 | Acceptable |
| Laser Cutting Machine | MPS-3015D | 1 | 2 | Acceptable |
| 4.5M CNC Processing Center | PRATIC | 1 | 3 | Acceptable |
| CNC Processing Meter | JNC | 8 | 3 | Acceptable |
| Shearing Machine | 6X2500 | 2 | 3 | Acceptable |
| Bending Machine | AG-1030II | 4 | 3 | Acceptable |
| Punching Machine | N/A | 36 | 6 | Acceptable |
| Coating Line | N/A | 1 | 1.5 | Acceptable |
| Lathing Machine | N/A | 1 | 6 | Acceptable |
| Grinding Machine | LITAO | 4 | 6 | Acceptable |
| Milling Machine | TONG ZHENG | 2 | 6 | Acceptable |
| Welding Machine | N/A | 5 | 5 | Acceptable |
| Tube Processing Machine | N/A | 2 | 5 | Acceptable |

| Cutting Machine | Laser Cutting Machine | 4.5M CNC Processing Center |
|---|---|---|
| | | |
| **CNC Processing Meter** | **Shearing Machine** | **Bending Machine** |
| | | |
| **Punching Machine** | **Coating Line** | **Lathing Machine** |
| | | |



---

Detalles del producto para -

| | |
|---|---|
| Articulo | barandillas de cable de escalera de acero inoxidable para casa |
| Solicitud | escalera, balcón, terraza, etc. |
| Material | 316SS |
| Terminar | cepillado, pulido |
| Enviar | Ronda 50.8mm |
| Tipo de montaje | Montaje superior, montaje en superficie |
| tamaño del cable | Diámetro de 4 mm |
| pasamanos superior | 50.8 mm de diámetro |
| MOQ | 10-20 metros |
| Pago | TT; PAYPAL, TARJETA DE CRÉDITO |

**postes de barandilla de cable de escalera de acero inoxidable -**



# LCH-123

**Tensor de cable T803**

**Tubo de pasamanos superior**

integral