


Eritelmä	
Tuotteen nimi	Alumiini -liukuovi Kaksinkertainen taitettu patio oven lämpökatkaisu kaksinkertainen taitettu karkaistu lasiovet
Materiaali	Alumiiniseos 6063-T5 -profiili lasi lisävarusteet
Profiiliasetukset	Profiilimerkki: Kiinalainen tuotemerkki
	Profiilin paksuus: 2,0 mm
	Pintakäsittely: Jauhemaalaus, anodisointi, PVDF -pinnoite jne.
Lasivaihtoehdot	Väri: valkoinen, musta, harmaa, mukautettu väri
	Vakiokohta: 5mm27A5mm
	Materiaali: karkaistu lasi
	Väri: erittäin kirkas, kirkas, himmeä, harmaa, vihreä, mukautettu väri
Muut lisävarusteet	Tiivistysliuska: EPDM Materail
	Lukitus: Kiinalainen ylin tuotemerkki
	Kappale: ruostumattomasta teräksestä valmistettu kisko
	Rulla: Korkean lujuuden polyamidi





D-shape Handle

The Folding Process is easy to operate



Heavy-Duty Hinge

Single Weight **150kg**



Top Wheel

Prevent The Door From Swinging From Side To Side




Return Pulley


Easy Folding Push Smooth Without Resistance

Configuration


Doors



Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows




Awning




Casement



Louvre



Sliding




Window Wall




Bay



Fixed



Double Hung



Bi-fold




Screens

Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass



LIVING ROOM



BALCONY



KITCHEN



BEDROOM

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine