

Alumiinisen kaiteen kaideportti, Alumiiniprofiili lasikiskoille

Tuotteen Kuvaus

Tuote Maminulle	Alumiininen kaide käsijohdin
materiaali	Alumiini 6063 T5
Suorittaa loppuun	Jauhepäällyste (musta, valkoinen, harmaa tai asiakkaiden väri)
Suurin lasipaksuus	12mm
Square Ulottuvuus	50x50mm, 3mm paksu
Kierros Dimension	Halkaisija 50mm, 3mm paksu
Standardin korkeus	1265mm tai asiakkaiden korkeudet
Asennus	Pinta-asennus tai porausasennukseen
Vahvuusraportti	Joo
Valmis asennettavaksi	Joo
Lasi-Floor Gap	50mm
pää Cap että Gtyttö Distance	10mm
myyty kuten A Pakki	base plast & kansi, yläpäätykappale, 50 mm: n pituinen hitsattu alumiinisäiliö alareunassa, muovinen istuin lasille istumaan, muovikanava
Tyypit	1) puoli virkaa 2) yksi tapa loppupiste 3) 2-suuntainen 180 astetta 4) kaksisuuntainen 90 astetta 5) 2-tie 135 astetta
Appliaction	uima-allas aita, parveke lasikisko, alumiininen kattokaiteet, rappu kotelon kaide
Näyte	Tarkista laatu ennen tilausta
Tehtaan tarkastus	Käytettävissä

Alumiini Handrail Post Destails



1) Pyöreät alumiiniset käsijohdot



2) Nelikulmaiset alumiiniset kaidejohdot




3) Alumiinikahvan pylväspiirustus



4) Alumiinikärkikantapakkaus






Alumiinikahvan viestit Fittigs

kannet



Päätykorkit



Pohjalevyhitsaus



Lujuustesti RVuosikertomus

Introduction

MTS Metallurgical Testing Services was engaged at the client's request to witness the installation of a sample pool fence post and to subsequently conduct load tests on the post to the requirements of the Australian Standard AS 1926.1 - 2012.

Standard/Specification AS 1926.1 - 2012, Section 3.2 and Appendix B

Results Summary

(For details of individual tests, refer to the tables on the following pages.)

ID	Item/Heat No.	Dimensions/Type/Details	Finish	Overall Assessment
14110/01	ASB1265	1265mm High, 50mm Square, Aluminium, Base Plate	6063-T5	COMPLIES

Remarks

After completion of the testing, the post was found to be in sound condition with no breakage, tearing or signs of fracture and no looseness of the fixings.


Colin Lorrimer
Metallurgical Testing Manager



Accreditation No: 15624
Accredited for compliance
with ISO/IEC 17025

Alumiinista valmistetut raudoitusprojektit

Ulkoportaatt alumiinirungolla Norjassa.



Uima-allas aita Australiassa.



Parveke alumiini kaide suunnittelu Kanadassa



Ottaa yhteyttä

Kysymyksiä tai kysymyksiä, jätä viesti. Tulet takaisin sinulle mahdollisimman pian!

Kaikista kiireellisistä tiedusteluista ota yhteyttä alla

Skype: launch_04

wechat: 973219879

Mob / mikä on: + 86-13530506265



董 萍 Doris Dong

Senior Sales Representative

☎ (86) 135 3050 6265

深圳市南山区南山大道1092号亿利达大厦B区3栋5003

Room 5003, Building 3, Yilida Building, No. 1092
Nanshan Road, Nanshan District, Shenzhen, China
postal code 518054

☎ (86-755) 8603 7559

☎ (86-755) 8637 2611

✉ sales04@launch-china.cn

💻 www.launch-china.com

www.chinabalustrade.com