


HOT SALE Frameless Glass Railing Black Aluminum U channel with Slotted Top Rail





Frameless Balustrade Rail Aluminium U Channel Glass Railing Hardware



1m aluminum channel contains the following accessories



Waterproof tape
2 meters




Aluminum and plastic fittings
3 sets



Expansion bolts
3 pieces

Aluminum Glass Railing specifications:

RAILING PART - BASEMENT	MATERIAL	DIMENSION(MM)	SURFACE FINISHED	SUITED GLASS THICKNESS (MM)
U Channel / U Profile	Aluminum Alloy	102*62	Anodizing / Spray Paint	12-13.52
		102*67		8+1.52+8
		102*70.5		10+1.52+10
Inside System & Bolt	3 or 4 meters per length			
Verhous	SUS 304 / SUS 316	102	Brushed / Mirror	/
Kumi	Muovi	Eri	Musta	Kaikki



Aluminum Base U Profile for Glass Railing Balustrade in Black Color:



Saatavilla Models:

LCH-A01/A02: without/with cladding for use with 20mm to 21.52mm glass

LCH-A01



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Waterproof tape 2 meters

Aluminum plastic fittings 3 sets

Expansion screws 3 pieces

LCH-A02



20 mm to 21.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m Decorative cover 2 meters

Aluminum plastic fittings 3 sets

Expansion screws 3 pieces

LCH-B01/B02: without/with cladding for use with 16mm to 17.52mm glass

LCH-B01

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-C01/C02: without/with cladding for use with 12mm to 13.14mm glass

LCH-C01

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-C02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



LCH-D01/D02: without/with cladding for use with 12mm to 13.14mm glass

LCH-D01



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Waterproof tape
2 meters



Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

LCH-D02



12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories
(excluding glass)



Aluminum trough 1 m



Decorative cover
2 meters





Aluminum plastic fittings
3 sets



Expansion screws
3 pieces

Mass production and packing

















SLOT TUBE HANDRAIL:







- | | |
|--|--|
| 1. Aluminum Railing Base | 7. End Cap |
| 2. Stainless Cap Screw | 8. Setting Block |
| 3. ½" Tempered Float Glass | 9. Expansive Cement |
| 4. Top Rail | 10. Cladding |
| 5. Splice | 11. Protective Insert |
| 6. Corner fitting
(Horizontal Shown Vertical
Also Available) | 12. Handrail Brackets and Fittings
Also Available |

Contact us now for more information:

Wendy: sales04@launch-china.cn

Mobile / Whatsapp: +8615989339827