




Sisäportaati Lasiin kaiteet Ruostumaton teräs Square Glass Budastod

1	Materiaali ja viimeistely	Ruostumaton teräs 304/316; Satin tai peili viimeistely
2	Korkeus	1000mm / mukautettu koko
3	Stanchion Post	D50,8 * 1,5 (mm) putki; 4 tapa säädettävä yläkiskokieli; Neliö tai pyöreä lasin puristin.
4	Top rautatie	D50.8 * 1,5 (mm) ontto putki
5	Turvallinen kaide	10mm / 12mm karkaistu kirkas lasilevy
6	Käyttö & Sijainti	Balusteria, kaiteet, kaiteet, aita, käsiraha, kaiteet; Parveke, silta, kannella, puutarha, patio, uima-allas, kuisti, portaalla, terassi
7	Asennus	Top / Side asennettu
8	Paketti	EPE + sisäinen laatikko + kartonki

TuoteNäytä



TekninenPiirustus



Square post railing design with handrail



End post




90 Degree corner post



Middle post

Asennus:


Glass Clamp Installation Guide



Mark and centre punch desired location of blind rivet nut location.



Drill centre punched hole in tube to suit blind rivet nut.



Insert blind rivet nut into tube and fasten with blind rivet tool.



Check installed blind rivet nut is secure and ready for install.



Align half glass clamp with blind rivet nut inline position. Screw in button head cap screw into thread and tighten with hex key.



Select appropriate rubber gasket to suit glass panel thickness. Install rubber gasket into both sides of glass clamp. (Note rubber gasket marked with sizes).



If heavier clamping load is required please use supplied glass clamp pin, during the install process. Note glass panels will require drilling in order to fit glass clamp pins.



Fit glass panel into position, install second half of glass clamp secure with provided hex screws.



Tighten glass clamps with hex key, and check glass panel are secure with no movement.

Projekti

Sisäportaatt Lasin kaiteet Ruostumaton teräs Square Glass Budastod
Portaikko / kannen mallit:



Tervetuloaottaa yhteyttäLisätietoja saat:
Wendy: sales04@launch-china.cn
HP / WhatsApp / Wechat: +8615989339827