

Ruostumattomasta teräksestä valmistettu raskas kiinnityspidike säädettävällä näytön kääntyvällä kylpyhuonelasin ovisuihkusaranalla

Tyyppi	Ovi- ja ikkuna-saranat
Lähtöisin	Guangdong, Kiina (manner)
Tuotenimi	Kebil
Mallinumero	G-W90SS
Tuotteen nimi	90 asteen lasi seinälle sarana
materiaali	SS304, SS316; alumiini
Suorittaa loppuun	PSS SSS CP BN
Koko	90 * 55mm
Lasin paksuus	8-12 mm karkaistu lasi
laakeri	45kgs / pari
fuction	lasi seinään, lasi lasi
Ominaisuus	Helppo asentaa ja kestävä, turvallinen
hakemus	Suihkuhuone, toimisto, hotelli, talo

180 aste & 90 aste Lasi Suihku Sarana sisään ruostumaton Teräs materiaali:




90 asteen lasi-suihku sarana ruostumattomasta teräksestä ja alumiinista:



Näytä yksityiskohdat:




Pakkaus:





Asennusohjeet:

HINGE PARTS



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG THE DESIGNATED SLOT OF THE ACRYLIC DOOR



NOTE: REFER TO THE PICTURE BELOW AFTER THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED WILL ALREADY BE SET, NO NEED TO ADJUST

MAIN BODY CONFIGURATION



TOP HALF CONFIGURATION



STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF OF THE HINGE, ALIGNING WITH THE MAIN BODY



MAKE SURE THE SCREW HEADS FACE INSIDE THE ROOM WHEN ATTACHING THE DOOR.

STEP 3 - INSERT THE BOLTS AND TIGHTEN WITH A 4mm HEX KEY



Projektikuvat:





Ota yhteyttä alla olevalla tavalla:

aatto

sales03@launch-china.cn

HP / WhatsApp / WeChat: +8613686807796