

Tuotetiedot:

Tuote Nimi	Ruostumattomasta teräksestä valmistetut sisäportaat kaiderakenteet ruostumattomasta teräksestä valmistettu porraskaite
materiaali	Ruostumaton teräs 316/304
Suorittaa loppuun	Peili kiillotettu tai satiinista harjattu
Koko	Ø50.8 * H1100 (mm)
Ristitanko ulottuvuus	Halkaisija 12 mm
Kaide	Käytettävissä
riviä of poikkipuu	Kuten kohti teidän pyyntö
Asennus	Itsevoitelu / Räjähdyspultit / Ruuvit
asennus	yläasennettava / nauha-asennettu
hakemus	parveke kaide, kannella kaappi, kuisti kaide, terassi kaide, portaikko kaide
kalusteet	Kaikki valu ja kiinteä

Sisäportaiden kaiderakenne

Kuvaus	
edut:	A) Valikointivalikoimat
	B) Kilpailukykyinen hinta (Kiinan mantereen valmistaja)
	C) Hyvä laatu (15 vuotta kokenut tekninen)
	D) Erinomainen palvelu (15 vuotta kokemusta viennistä)
	E) Nopea toimitus
	F) Eri malleja on saatavana asiakkaiden pyynnöstä
	G) OEM, ODM-tilaukset ovat hyväksyttäviä
materiaali:	Hyväksy korkealaatuista materiaalia (SS304, SS316, Duplex 2205)
Asennus:	Määrittelysisältö ja helppokäyttöisyys, luova muotoilu tuo elävästi uuden suuntauksen muotoa.
viimeistelyt:	A) Kiillotettu ruostumaton teräs (PSS) B) Satin ruostumaton teräs (SSS)
Paketti:	vaahtomuovipakkaus on suojattu sisäpuolelta, ulkopuoli on kartonkipakkaus arvostetuilla asiakkaiden tunnuksilla tai asiakkaiden vaatimuksilla
Maksuehdot:	T / T 30% talletus kehittynyt, tasapainoinen ennen toimitusta
Huollettava alue	koti, hotelli, asunto, julkiset tilat, muut rakennukset
Toimitusaika:	Yleensä 15 päivän kuluessa talletuksen vastaanottamisesta
MOQ:	1 kpl kohdasta

Tuotteet Näytä:


Satin harjattua viimeistelylevyä:















Yrityksemme:

Shenzhen Launch Co., Ltd was established in 2004, located at Nanshan District, Shenzhen, and one hour by car from Hongkong International Airport. Our main product is high-grade building materials includes stainless steel balustrade post, staircase handrail, balcony guardrail, swimming pool fence and other high-grade building materials. All the products are designed strictly according to the high-end market requirements. We have our own factory in Tangxia Town, Dongguan, has a variety of precision equipment more than 50 sets: CNC lathe, milling machine, punching machine, pipe cutter, argon welder, drilling machine, polisher, etc. which can provide customers with complete product processing services. With the German SPECTRO Spectrometer, we insist on testing every batch of materials to ensure that the material is highly qualified. We also have hardness gauge, secondary element and other test equipment to ensure the products meets customers' requirements.

ABOUT US

Our Team



OUR ADVANTAGE

Please do not hesitate to contact us if you have any requirement regarding our production lines, you can expect a timely reply with professional solutions!



Own factory, shortest lead time.



Can help customers design product drawings based on customer ideas and design engineering installation drawing according to the customer site sketch.



Sample order, trial order acceptable.



Provide material test report to ensure that the material is qualified.



13 years of industry experience, we can help customers recommend the best solution to help customers save cost.

OUR FACTORY

More than 13 years experience in hardware industry design and processing, we can provide customized services from design to the sample and small batch trial production.



OUR CERTIFICATE

With premium quality, competitive price and superior service, we won a lot of customers' favor.

Our products are popular in North America, European and Australia.



PRODUCTION PROCESS



Casting



CNC lathe



CNC Milling



Stamping



Drilling & Tapping




Polishing



PAYMENT & TRANSPORTATION

Welcome Alibaba Trade Assurance Order!



1 Start an order

2 Negotiate terms with our sales service & confirm order

3 Make payment

4 Alibaba provide full assurance



PayPal



VISA

HSBC



XPL FedEx Express

EMS

DHL

TNT



Ottaa yhteyttä:

Sähköposti: sales03@launch-china.cn

HP / WhatsApp / WeChat: +8615907334556