

## Shenzhen käynnistää kehyksetön lasi reunakaide lasi tapit

Materiaali: Ruostumaton teräs 316 / 316L / Duplex 2205

Viimeistely: Satin harjattu tai kiillotettu

Lasin paksuus: 10-13.52mm

Tyyppi: ydin porattu, maa asennus SCM ja RCM

Korkeus: 285mm;

Muoto: pyöreä / square

Ominaisuus: Ei porattu lasi;

Alkuperä: Shenzhen

### **Core porattu lasi hana, SCM ja RCM**

Katso alta, napsauta kuvaa lisätietoja:



**Peili kiillotettu: kirkas pinta**



**Satiini harjattu: tyylikäs pinta**



**Hanke:**

**Ulkona uima-allas miekkailu, kestävä anti ruoste kyky**



**Takapiha lasi aita**



**Liittyvät tarvikkeet**

Lasiovi salpa, lukittava, viistetty reuna ja kulma;



### Model No. : GL-90

Glass to glass latch 90 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : In swing & out swing both available



### Model No. : GL-180

Glass to glass latch 180 degree

Material	Stainless steel 316/316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Remark : Other degrees available according to your requirement



### Model No. : GL-W

Glass to wall / square post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm



### Model No. : GL-P

Glass to round post latch

Material	Stainless steel 316L
Finish	Mirror or satin polished
For glass thickness	8-12mm

Lasi oven sarana



### Model No. : G-R2

Casting glass to round post hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



### Model No. : G-W2

Casting glass to square post / wall hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm



### Model No. : G-G2

Casting glass to glass hinge

Material	Stainless steel 316
Finish	Mirror or satin polished
For glass gate thickness	8-12mm