

Charnière hydraulique de porte de douche en verre hydraulique de bride de salle de bains d'acier inoxydable de 180 degrés

Type	Charnières de portes et fenêtres
Lieu d'origine	Guangdong, Chine (continentale)
Marque	Kebil
Numéro de modèle	G-W90SS
Nom du produit	Charnière de douche verre à mur à 90 degrés
Matériel	SS304, SS316; aluminium
terminer	PSS SSS CP BN
Taille	90 * 90 mm
Épaisseur du verre	Verre trempé 8-12 mm
Palier	45kgs / paire
Fuction	verre au mur, verre au verre
Fonctionnalité	Facile à installer et durable, sûr
Application	Salle de douche, bureau, hôtel, maison

180 Degré & 90 Degré Verre douche Charnière dans Inoxydable Acier Matériel:




Charnière de douche en verre à 90 degrés en acier inoxydable et matériau en aluminium:



Afficher les détails:




Emballage:





Instructions d'installation:

HINGE PARTS



MAIN BODY CONFIGURATION



TOP HALF CONFIGURATION



STEP 1 - LINE UP THE MAIN BODY OF THE HINGE ALONG THE DESIGNATED SLOT OF THE ACRYLIC DOOR



NOTE: REFER TO THE PICTURE BELOW AFTER THE DOOR IS INSTALLED.

THE ADJUSTMENT TO THE CLOSING SPEED WILL ALREADY BE SET, NO NEED TO ADJUST

STEP 2 - SANDWICH THE ACRYLIC WITH THE TOP HALF OF THE HINGE, ALIGNING WITH THE MAIN BODY



MAKE SURE THE SCREW HEADS FACE INSIDE THE ROOM WHEN ATTACHING THE DOOR.

STEP 3 - INSERT THE BOLTS AND TIGHTEN WITH A 4mm HEX KEY



Photos du projet:







Veillez nous contacter comme ci-dessous:

Veille

sales03@launch-china.cn

HP / WhatsApp / WeChat: +8613686807796