

Caractéristiques

Nom de produit	Fenêtres coulissantes en alliage en aluminium Fenêtres en verre trempé à double vitrage
Matériel	Aluminium Alloy 6063-T5 Profil verre accessoires
Options de profil	Marque de profil: marque chinoise
	Épaisseur de profil: 2,0 mm
	Traitement de surface: revêtement en poudre, anodisation, revêtement PVDF, etc.
	Couleur: blanc, noir, gris, couleur personnalisée
Options de verre	Spécification standard: 5 mm 27a 5 mm
	Matériau: verre trempé
	Couleur: ultra claire, claire, givrée, gris, vert, couleur personnalisée
	Types: Verre unique, verre mimmé, etc.
Autres accessoires	String Sceling: EPDM Materail
	Verrouille: marque de tête chinoise
	Piste: rail en acier inoxydable
	Rouleau: polyamide haute résistance






Window types



C1



C2




C3



C4



C5




C6

Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass




Low-E glass




Reflective glass



Single panel glass



Double panel glass




Triple panel glass



Safety hardware

- Automatic lock and child lock configuration to enhance safety performance



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage


- Water tightness
- Air tightness



Applications



Kitchen



Home



Doorway



Living room



Bedroom



Hostel

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine