

Fenêtres coulissantes pliantes en aluminium

Spécification du produit

Spécification	
Nom du produit	Portes coulissantes en aluminium à rupture de pont thermique
Options de profil	Marque de profil: marque chinoise
	Épaisseur du profil : 2,0 mm
	Traitement de surface : revêtement en poudre, anodisation, revêtement PVDF, etc.
	Couleur : Blanc, noir, gris, couleur personnalisée
Options de verre	Spécification standard : 5 mm27A5 mm
	Matériel: Verre trempé
	Couleur : Ultra clair, clair, givré, gris, vert, couleur personnalisée
	Types : Verre simple, verre feuilleté, etc.
Autres accessoires	Bande d'étanchéité : matériau EPDM
	Serrure : marque supérieure chinoise
	Rail : Rail en acier inoxydable
	Rouleau : polyamide haute résistance


Photos et détails du produit







C1




C2




C3




C4



C5



C6



Safety and anti-derailment

- Wind resistance
- Sound insulation
- Thermal insulation

Double-blocked hidden drainage

- Water tightness
- Air tightness



Safety hardware


- Automatic lock and child lock configuration to enhance safety performance



Single panel glass




Double panel glass




Triple panel glass

Configuration


Doors



Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold



Sliding Wardrobe



Showerscreens



Screens



Pivot Door
Entry Units

Windows



Awning




Casement



Louvre



Sliding




Window Wall



Bay



Fixed



Double Hung



Bi-fold




Screens

Couleurs des profilés en aluminium




Glass Types

Variety Of Glass & Profile Available



Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass

APPLICATION



ENTRANCE



BACKYARD



LIVING ROOM



DINING ROOM



BALCONY



DECK

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine

N'hésitez pas à nous contacter si vous êtes intéressé par les produits

Frank Fang

WhatsApp/Téléphone : 8615906261741

Courriel : sales02@launch-china.cn