


Spécification	
Nom de produit	Porte coulissante en aluminium VIFOLD Pliant Patio Porte thermique Break Double pliage
Matériel	Aluminium Alloy 6063-T5 Profil verre accessoires
Options de profil	Marque de profil: marque chinoise
	Épaisseur de profil: 2,0 mm
	Traitement de surface: revêtement en poudre, anodisation, revêtement PVDF, etc. Couleur: blanc, noir, gris, couleur personnalisée
Options de verre	Spécification standard: 5 mm 27a 5 mm
	Matériau: verre trempé
	Couleur: ultra claire, claire, givrée, gris, vert, couleur personnalisée Types: Verre unique, verre mimmé, etc.
Autres accessoires	String Sceling: EPDM Materail
	Verrouille: marque de tête chinoise
	Piste: rail en acier inoxydable
	Rouleau: polyamide haute résistance





D-shape Handle

The Folding Process is easy to operate



Heavy-Duty Hinge

Single Weight **150kg**



Top Wheel

Prevent The Door From Swinging From Side To Side




Return Pulley


Easy Folding Push Smooth Without Resistance

Configuration


Doors




Sliding



Sliding Stacker




Corner Sliding



Hinged



Bi-fold




Sliding Wardrobe



Showerscreens




Screens



Pivot Door
Entry Units


Windows




Awning




Casement



Louvre



Sliding




Window Wall




Bay



Fixed



Double Hung




Bi-fold




Screens

Glass Types

Variety Of Glass & Profile Available




Temperde glass




Single glass



Double glass



Triple glass



Laminated glass



Frosted glass



Low-E glass



Reflective glass



LIVING ROOM



BALCONY



KITCHEN



BEDROOM

Workshop



1.3D&CAD drawing



2.Thermal break



3.Cutting profile



4.Lock milling



5.Profile assembling



6.Glass assenbling



7.Sealing



8.Testing



9.quarantine