Certification SGS Alibaba vérifié or, plus fournisseur et 12 ans d’adhésion

COMPANY INTRODUCTION

Verification Type: Supplier Assessment Onsite Check

Country / Region: Guangdong, China ✓

Year Established: 2004 ✓

Main Products: CNC Machining Parts,Stamping Pa... ✓

Main Markets: North America, Oceania, Mid East,... ✓

Total Annual Revenue: confidential ✓

Total Employees: 11 - 50 People ✓

Alibaba.com Gold Plus Supplier

Main Product Lines Verification Report

Presented to

Shenzhen Launch Co., Ltd.

深圳市朗驰商贸有限公司

Company Address	B5003, Building 3, Yilida Building, No. 1092 Nanshan Avenue, Dengliang Community, Nanshan Street, Nanshan District, Shenzhen City, Guangdong Province, China
Consigner of Assessment:	Alibaba
Gold Supplier Member ID:	launch168
Gold Supplier Company Name:	Shenzhen Launch Co., Ltd.
Contact Person:	Mr. Binfeng Gao
Phone Number:	0086-13802569770
Fax Number:	0086-755-86372611
Email:	gbf999@china.com
Website Address (URL):	http://launch-china.en.alibaba.com

Service Provided by SGS
Report No.: 19536352_P+T

Alibaba.com Global trade starts here.™ SGS

Alibaba.com Gold Plus Supplier

Verified

Assessment Report

Presented to

Cooperation Company of Shenzhen Launch Co., Ltd.

深圳市朗驰商贸有限公司合作工厂

Gold Supplier & Assessed Company Relationship:	☐ Self-owned ☐ Wholly Owned ☐ Shareholder/Partner ☐ Kindred between Owners ☒ Cooperation Partner
Company Address	Confidential
City / Country:	Huizhou / China
Consigner of Assessment:	Alibaba & Shenzhen Launch Co., Ltd.
Gold Supplier Member ID:	launch168
Gold Supplier Company Name:	Shenzhen Launch Co., Ltd.
Contact Person:	Confidential
Phone Number:	Confidential
Fax Number:	Confidential
Email:	Confidential
Website Address (URL):	http://launch-china.en.alibaba.com

Service Provided by SGS
Report No.: 19552720_P

Alibaba.com Global trade starts here.™ SGS



Profil de garde-corps en U en aluminium pour chaussures de balustres de Guangzhou

Aluminium U canal balustrade profil Caractéristiques

- Matériau: aluminium 6063 T5
- Finition: anodisation
- Longueur: 4m par longueur ou longueur de la coutume
- Pour épaisseur de verre: verre trempé 12-21.52mm
- Vendu en kit: comprend les boulons, le canal en caoutchouc et les raccords

Canal en aluminium pour verre 12mm







Installation du canal en aluminium U

installation



Autres modèles canal U en aluminium qui pourrait vous intéresser



LCH-D01

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)

Aluminum trough 1 m | Waterproof tape 2 meters | Aluminum plastic fittings 3 sets | Expansion screws 3 pieces

LCH-D02

12 mm to 13.14 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)

Aluminum trough 1 m | Decorative cover 2 meters | Aluminum plastic fittings 3 sets | Expansion screws 3 pieces

LCH-B01

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m | Waterproof tape 2 meters | Aluminum plastic fittings 3 sets | Expansion screws 3 pieces

LCH-B02

16 mm to 17.52 mm tempered glass

1 m aluminium groove contains the following accessories (excluding glass)



Aluminum trough 1 m | Decorative cover 2 meters | Aluminum plastic fittings 3 sets | Expansion screws 3 pieces

Photos du projet de garde-corps du canal U d'Alumnum

St John's
Car Park & Reception

Packge de canaux en aluminium

2015/09/29

Apparenté, relié, connexe des produits - capsulage de main courante en verre en C en acier inoxydable

Contact

Merci pour votre visite ! Toute question ou demande, s'il vous plaît laissez un message. Je reviendrai vers vous dans les 24 heures.

Toute demande urgente, veuillez nous contacter ci-dessous:

-Contact: Doirs

-Email: sales04@launch-china.cn

-Bureau: (86-755) 86037559

-Mob / whats app: 0086-13530506265

-Skype: launch_04